

Specification Sheet

Part Number: ATS10266110



Cable Ties for ATS3080, 50lb Tensile Strength, PA66HIRHSUV, Black, 1640 ft/reel

Article Number	102-66110
Type	Strap Black ATS3080
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• The ATS3080 cable tie is designed for optimized material utilization by using an innovative two-piece system consisting of individual strap and closures.• Waste-free cable tie system eliminates down time due to cleaning and opening waster containers.• Bundle diameter is mechanically detected and allows a flush cut off of the strap.• Available in reels of 1640 feet of strap and 5,000 closures.
Quantity Per	reel

Product Description

HellermannTyton offers the widest range of automatic cable tie tool systems which cover cable tie tensile strengths of 18, 30, and 50 pounds with bundle diameters between 1/16" to over 3". For use with HellermannTyton's Automatic Tool Systems.

Short Description	Cable Ties for ATS3080, 50lb Tensile Strength, PA66HIRHSUV, Black, 1640 ft/reel
Global Part Name	Strap Black ATS3080-PA66HIRHSUV-BK
Technical Description	Cable Tie Strap for ATS3080, Black
Minimum Tensile Strength (Imperial)	50.0
Minimum Tensile Strength (Metric)	225
Length L (Imperial)	1640.0
Length L (Metric)	500.0
Identification Plate Position	none
Reel Diameter (Imperial)	15.25
Reel Diameter (Metric)	387
Reel Width (Imperial)	3.5
Reel Width (Metric)	88.9
Releasable Closure	No
Width W (Imperial)	0.18
Width W (Metric)	4.5
Bundle Diameter Min (Metric)	0.0

Bundle Diameter Max (Imperial) 3.14

Bundle Diameter Max (Metric) 80.0

Height H (Imperial) 0.047

Height H (Metric) 1.2

Material Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

Material Shortcut PA66HIRHSUV

Flammability UL 94 HB

Operating Temperature (Metric) -40°F to +203°F (-40°C to +95°C)

Reach Complaint(Article 33) Yes

ROHS Complaint Yes

Package Quantity(Imperial) 1

Package Quantity (Metric) 1

Customs Number 3926909987

Content Unit(BMEcat) reel

Weight (Metric) 2.7

Reel Weight (Imperial)

6

Reel Weight (Metric)

2.72