

## Specification Sheet

Part Number: ATS10266110



Cable Ties for ATS3080, 50lb Tensile Strength, PA66HIRHSUV, Black, 1640 ft/reel

**Article Number**

102-66110

**Type**

Strap Black ATS3080

**Color**

Black (BK)

**Features & Benefits**

- The ATS3080 cable tie is designed for optimized material utilization by using an innovative two-piece system consisting of individual strap and closures.
- Waste-free cable tie system eliminates down time due to cleaning and opening waster containers.
- Bundle diameter is mechanically detected and allows a flush cut off of the strap.
- Available in reels of 1640 feet of strap and 5,000 closures.

**Quantity Per**

reel

<b>Product Description</b>	HellermannTyton offers the widest range of automatic cable tie tool systems which cover cable tie tensile strengths of 18, 30, and 50 pounds with bundle diameters between 1/16" to over 3". For use with HellermannTyton's Automatic Tool Systems.
<b>Short Description</b>	Cable Ties for ATS3080, 50lb Tensile Strength, PA66HIRHSUV, Black, 1640 ft/reel
<b>Global Part Name</b>	Strap Black ATS3080-PA66HIRHSUV-BK
<b>Technical Description</b>	Cable Tie Strap for ATS3080, Black
<b>Minimum Tensile Strength (Imperial)</b>	50.0
<b>Minimum Tensile Strength (Metric)</b>	225
<b>Length L (Imperial)</b>	1640.0
<b>Length L (Metric)</b>	500.0
<b>Identification Plate Position</b>	none
<b>Reel Diameter (Imperial)</b>	15.25
<b>Reel Diameter (Metric)</b>	387
<b>Reel Width (Imperial)</b>	3.5
<b>Reel Width (Metric)</b>	88.9
<b>Releasable Closure</b>	No

<b>Width W (Imperial)</b>	0.18
<b>Width W (Metric)</b>	4.5
<b>Bundle Diameter Min (Metric)</b>	0.0
<b>Bundle Diameter Max (Imperial)</b>	3.14
<b>Bundle Diameter Max (Metric)</b>	80.0
<b>Height H (Imperial)</b>	0.047
<b>Height H (Metric)</b>	1.2
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature</b>	-40°F to +203°F (-40°C to +95°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	1640

<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909988
<b>Weight (Metric)</b>	2.7
<b>Reel Weight (Imperial)</b>	6
<b>Reel Weight (Metric)</b>	2.72

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)