

## Specification Sheet

Part Number: ATS10266110

The ATS3080 cable tie is designed for optimized material utilization by using an innovative two-piece system consisting of individual strap and closures.

Waste-free cable tie system eliminates down time due to cleaning and opening waster containers.

Bundle diameter is mechanically detected and allows a flush cut off of the strap.

Available in reels of 1640 feet of strap and 5,000 closures.



Cable Ties for ATS3080, 50lb Tensile Strength, PA66HIRHSUV, Black, 1640 ft/reel

<b>Article Number</b>	102-66110
<b>Type</b>	Strap Black ATS3080
<b>Color</b>	Black (BK)
<b>Quantity Per</b>	reel
<b>Product Description</b>	HellermannTyton offers the widest range of automatic cable tie tool systems which cover cable tie tensile strengths of 18, 30, and 50 pounds with bundle diameters between 1/16" to over 3". For use with HellermannTyton's Automatic Tool Systems.
<b>Short Description</b>	Cable Ties for ATS3080, 50lb Tensile Strength, PA66HIRHSUV, Black, 1640 ft/reel

**Global Part Name** Strap Black ATS3080-PA66HIRHSUV-BK

**Technical Description** Cable Tie Strap for ATS3080, Black

**Minimum Tensile Strength (Imperial)** 50.0

**Minimum Tensile Strength (Metric)** 225

**Length L (Imperial)** 1640.0

**Length L (Metric)** 500.0

**Identification Plate Position** none

**Reel Diameter (Imperial)** 15.25

**Reel Diameter (Metric)** 387

**Reel Width (Imperial)** 3.5

**Reel Width (Metric)** 88.9

**Releasable Closure** No

**Width W (Imperial)** 0.18

**Width W (Metric)** 4.5

**Bundle Diameter Min (Metric)** 0.0

**Bundle Diameter Max (Imperial)** 3.14

<b>Bundle Diameter Max (Metric)</b>	80.0
<b>Height H (Imperial)</b>	0.047
<b>Height H (Metric)</b>	1.2
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature</b>	-40°F to +203°F (-40°C to +95°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	1640
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909988
<b>Reel Weight (Imperial)</b>	6
<b>Reel Weight (Metric)</b>	2.72

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)