

## Specification Sheet

Part Number: T30RA3000



Cable Ties for AT2060, 30lb Tensile Strength, PA66, Natural, 3000/reel

**Article Number**

103-00001

**Type**

T30RA

**Color**

Natural (NA)

**Features & Benefits**

- The AT2060 cable tie system is designed for automatic installation on bundles up to 1.25" and a minimum tensile strength of 30 lbs.
- Available in reels of 3,000 each or bandoliers of 30 each.

**Quantity Per**

reel

**Product Description**

Cable ties for use with HellermannTyton's AT2060 automatic cable tie tool

**Short Description**

Cable Ties for AT2060, 30lb Tensile Strength, PA66, Natural, 3000/reel

**Global Part Name**

T30RA-PA66-NA

<b>Minimum Tensile Strength (Imperial)</b>	30.0
<b>Minimum Tensile Strength (Metric)</b>	135.0
<b>Length L (Imperial)</b>	6.0
<b>Length L (Metric)</b>	152.4
<b>Identification Plate Position</b>	none
<b>Reel Diameter (Imperial)</b>	17.7
<b>Reel Diameter (Metric)</b>	450.0
<b>Reel Width (Imperial)</b>	7.197
<b>Reel Width (Metric)</b>	182.8
<b>Voltage Range</b>	27 Volt
<b>Releasable Closure</b>	No
<b>Width W (Imperial)</b>	0.14
<b>Width W (Metric)</b>	3.6
<b>Bundle Diameter Min (Imperial)</b>	0.06
<b>Bundle Diameter Min (Metric)</b>	1.5
<b>Bundle Diameter Max (Imperial)</b>	1.25
<b>Bundle Diameter Max (Metric)</b>	31.75

**Thickness T (Imperial)** 0.05

**Thickness T (Metric)** 1.2

**Cycle Time** 1.2 seconds

**Power Supply** Electrical

**Tension Force** Adjustable

**Material** Polyamide 6.6 (PA66)

**Material Shortcut** PA66

**US MIL SPEC** MS3367-5-9, Class 2

UL 94 V2

Yes

-40°F to +185°F (-40°C to +85°C)

Yes

UL-ZODZ2.E64139 CAGE Code 53421

Yes

Yes

**Flammability**

**Halogen free**

**Operating Temperature (Metric)**

**ROHS Complaint**

**Certification/Specification WEB**

**UL Recognized (US)**

**UL Recognized (US and Canada)**

<b>Package Quantity(Imperial)</b>	3000
<b>Package Quantity (Metric)</b>	3000
<b>Customs Number</b>	3926909988
<b>Weight (Metric)</b>	1.8
<b>Weight (Imperial)</b>	3.9
<b>Reel Weight (Imperial)</b>	7
<b>Reel Weight (Metric)</b>	3.175