

Specification Sheet

Part Number: 110-70083



EVO 7 Mechanical Hand Tool, Standard hand span 3.5", 1/pkg

Article Number 110-70083

Type EVO7

Color Black (BK)

Features & Benefits

- Advanced TLC technology provides operational reliability and durability resulting in fewer repairs and an extended lifespan.
- Lightweight tool with the most technologically advanced ergonomic design for reducing work-related risks such as fatigue and injury that effect productivity.
- Tension dial offers 33 precise, easy-to-read settings (with 1/4" increments) that reduce subjectivity or the need for fine tuning.
- Tension lock-in mechanism prevents operator from changing tension setting during critical applications.

Quantity Per EA

| | |
|---------------------------------------|---|
| Product Description | HellermannTyton's EVO 7 mechanical hand tool is ergonomically designed to reduce the risks of repetitive stress injuries to operators while simultaneously increasing productivity. The EVO 7 Tension/Lock/Cut Technology delivers performance, safety and comfort for operators. Available in a standard grip span (EVO 7) or short grip span (EVO 7SP) for smaller hands. Additional accessories are available. |
| Short Description | EVO 7 Mechanical Hand Tool, Standard hand span 3.5", 1/pkg |
| Global Part Name | EVO7-MET/PL-BK |
| Technical Description | Standard Hand Span 3.5" (90mm) |
| Cable Ties | T18, T30, T40, T50, T80, IT18, IT50 |
| Tension Setting Tools | Adjustable |
| Cable Tie Width Max (Imperial) | 0.19 |
| Material | Plastic (PL) Metal (MET) |
| Material Shortcut | PL MET |
| US MIL SPEC | MS90387-1 SAE-AS90387 |
| Reach Complaint(Article 33) | Yes |
| ROHS Complaint | Yes |

Certification/Specification WEB

CAGE Code 53421

Package Quantity(Imperial)

1

Package Quantity (Metric)

1

Customs Number

8205599000

Content Unit(BMEcat)

pcs.

Weight (Metric)

275

Weight (Imperial)

9.7

© 2020 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)