

## Specification Sheet

Part Number: 111-01671



UV resistant materials contain an inhibitor that prolongs the life of the tie in outdoor environments.

One-piece design reduces installation time.

Outside serrations prevent cable damage.

Aerial Support Tie, 12.4" Long, PA66HIRHSUV, Black, 500/bag

**Article Number** 111-01671

**Type** TAS120M

**Color** Black (BK)

**Quantity Per** bag

**Product Description** Aerial Support Ties feature a built-in spacer to separate cables from the support wire and prevent abrasion. A one-piece design, combining the tie and spacer into one part, reduces installation time and inventory costs. The outside serrations along the strap prevent damage to cables. Formulated from a special nylon blend, these ties are specifically suited for long-term outdoor use. The bent tail allows for quick and simple installation by hand.

**Short Description** Aerial Support Tie, 12.4" Long, PA66HIRHSUV, Black, 500/bag

**Global Part Name** TAS120M-PA66HIRHSUV-BK

**Minimum Tensile Strength (Imperial)** 120.0

**Minimum Tensile Strength (Metric)** 535.0

**Length L (Imperial)** 12.4

**Length L (Metric)** 270.0

**Fixation Method** Others

**Identification Plate Position** none

**Releasable Closure** No

**Tie Closure** plastic pawl

**Variant** Outside Serrated

**Width W (Imperial)** 0.5

**Width W (Metric)** 12.7

**Bundle Diameter Max (Imperial)** 2.7

**Bundle Diameter Max (Metric)** 70.0

**Thickness T (Imperial)** 0.062

**Thickness T (Metric)** 1.58

<b>Cable Tie Head Width (Imperial)</b>	1.3
<b>Height H (Imperial)</b>	.76
<b>Height H (Metric)</b>	19.0
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Halogen Free</b>	Yes
<b>Operating Temperature</b>	-40°F to +221°F (-40°C to +105°C)
<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909988

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)