

## Specification Sheet

Part Number: 111-01672



Aerial Support Tie, 17.4" Long, PA66HIRHSUV, Black, 500/bag

**Article Number**

111-01672

**Type**

TAS120L

**Color**

Black (BK)

**Features & Benefits**

- UV resistant materials contain an inhibitor that prolongs the life of the tie in outdoor environments.
- One-piece design reduces installation time.
- Outside serrations prevent cable damage.

**Quantity Per**

bag

**Product Description**

Aerial Support Ties feature a built-in spacer to separate cables from the support wire and prevent abrasion. A one-piece design, combining the tie and spacer into one part, reduces installation time and inventory costs. The outside serrations along the strap prevent damage to cables. Formulated from a special nylon blend, these ties are specifically suited for long-term outdoor use. The bent tail allows for quick and simple installation by hand.

**Short Description**

Aerial Support Tie, 17.4" Long, PA66HIRHSUV, Black, 500/bag

Global Part Name

TAS120L-PA66HIRHSUV-BK

Minimum Tensile Strength (Imperial)

120

Minimum Tensile Strength (Metric)

535

Length L (Imperial)

17.4

Length L (Metric)

420.0

Fixation Method

Others

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Variant

Outside Serrated

Width W (Imperial)

0.5

Width W (Metric)

12.7

Bundle Diameter Max (Imperial)

4.5

Bundle Diameter Max (Metric)

114.0

Thickness T (Metric)

1.58

Cable Tie Head Width (Imperial)

1.3

Height H (Imperial)

.76

<b>Height H (Metric)</b>	19.0
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature (Metric)</b>	-40°F to +230°F (-40°C to +110°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909987
<b>Content Unit(BMEcat)</b>	pcs.