

Specification Sheet

Part Number: 111-12075



High-impact, heat stabilized heavy-duty cable ties contain an impact modifier allowing greater flexibility and greater resistance to vibration. Head design provides high tensile strength with very low insertion force. Bent tail ensures a quick and simple installation.

Heavy Duty Cable Tie, 15" Long, 120lb Tensile Strength, PA66HIRHS, Orange, 1000/pkg

Article Number	111-12075
Type	T120R
Color	Orange (OG), High Voltage (HV)
Quantity Per	bag
Product Description	Heavy duty T-Series cable ties feature inside serrations to provide a positive hold on wire and cable bundles. Durable head design guarantees high tensile strength and a low insertion force. The bent tail allows quick and simple installations by hand. For high-volume applications, tensioning tools are available to ensure consistent and safe installation.
Short Description	Heavy Duty Cable Tie, 15" Long, 120lb Tensile Strength, PA66HIRHS, Orange, 1000/pkg

Global Part Name T120R-PA66HIRHS-OG

Minimum Tensile Strength (Imperial) 120.0

Minimum Tensile Strength (Metric) 535

Length L (Imperial) 15.24

Length L (Metric) 387

Identification Plate Position none

Releasable Closure No

Tie Closure plastic pawl

Variant Inside Serrated

Width W (Imperial) 0.3

Width W (Metric) 7.6

Bundle Diameter Min (Imperial) 0.11

Bundle Diameter Min (Metric) 3.0

Bundle Diameter Max (Imperial) 3.94

Bundle Diameter Max (Metric) 100

Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988

© 2022 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)