

Specification Sheet

Part Number: TELS-SPOOL



Extended-Length Tie, POM, Black, 1-50 ft reel of strap/pkg

Article Number

111-32106

Type

TELS-SPOOL

Color

Black (BK)

Features & Benefits

- Continuous strap and separate heads allow for any bundle diameter, eliminating waste.
- Smooth strap prevents cable damage.
- UV resistant materials contain an inhibitor which prolongs the life of the tie in outdoor environments.

Quantity Per

reel

Product Description

Extended Length Ties provide a high tensile strength strapping system consisting of a continuous strap and separate locking head making it suitable for any bundle diameter, eliminating waste. The smooth strap and specially designed heads with stainless steel pawls provide a strong grip on cables and wires without damage during vibration or in extreme environments. Spacers are available for dual bundle applications.

Short Description	Extended-Length Tie, POM, Black, 1-50 ft reel of strap/pkg
Global Part Name	TELS-SPOOL-POM-BK
Minimum Tensile Strength (Imperial)	250.0
Minimum Tensile Strength (Metric)	1112.0
Length L (Imperial)	50.0
Length L (Metric)	15.2
Fixation Method	2 piece
Identification Plate Position	none
Releasable Closure	No
Tie Closure	steel pawl
Variant	Extended Length
Width W (Imperial)	0.5
Width W (Metric)	12.8
Thickness T (Imperial)	0.06
Thickness T (Metric)	1.52

Material	Polyacetal (POM)
-----------------	------------------

Material Shortcut POM

Material Cable Tie	Polyacetal (POM)
---------------------------	------------------

Material Head Polyacetal (POM)

Flammability	UL 94 HB
---------------------	----------

Operating Temperature (Metric) -40°F to +185°F (-40°C to +85°C)

Reach Complaint(Article 33)	Yes
------------------------------------	-----

ROHS Complaint Yes

Package Quantity(Imperial)	1
-----------------------------------	---

Package Quantity (Metric) 1

Customs Number	3926909987
-----------------------	------------

Content Unit(BMEcat) pack