

Specification Sheet

Part Number: TELS-13



Extended-Length Tie, POM, Black, 10-13.5" straps and 10 heads/pkg

Article Number	111-32108
Type	TELS-13
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Continuous strap and separate heads allow for any bundle diameter, eliminating waste.• Smooth strap prevents cable damage.• UV resistant materials contain an inhibitor which prolongs the life of the tie in outdoor environments.
Quantity Per	pack

Product Description

Extended Length Ties provide a high tensile strength strapping system consisting of a continuous strap and separate locking head making it suitable for any bundle diameter, eliminating waste. The smooth strap and specially designed heads with stainless steel pawls provide a strong grip on cables and wires without damage during vibration or in extreme environments. Spacers are available for dual bundle applications.

Short Description	Extended-Length Tie, POM, Black, 10-13.5" straps and 10 heads/pkg
Global Part Name	TELS-13-POM-BK
Minimum Tensile Strength (Imperial)	250.0
Minimum Tensile Strength (Metric)	1112.0
Length L (Imperial)	13.5
Length L (Metric)	343.0
Fixation Method	2 piece
Identification Plate Position	none
Releasable Closure	No
Tie Closure	steel pawl
Variant	Extended Length
Width W (Imperial)	0.5
Width W (Metric)	12.7
Thickness T (Imperial)	0.06
Thickness T (Metric)	1.52
Height H (Imperial)	.49
Height H (Metric)	12.40

Material	Polyacetal (POM)
Material Shortcut	POM
Material Cable Tie	Polyacetal (POM)
Material Head	Polyacetal (POM)
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +185°F (-40°C to +85°C)
ROHS Complaint	Yes
Package Quantity(Imperial)	10
Package Quantity (Metric)	10
Customs Number	3926909988