

Specification Sheet

Part Number: T120MR0HSH4



1-Piece Cable Tie/Screw Mount, 15.6" Long, #1/4 Screw, 4.02" Max Bundle Dia, 120lb, PA66, Black, 500/pkg

| | |
|--------------------------------|--|
| Article Number | 113-00073 |
| Type | T120MR |
| Color | Black (BK) |
| Features & Benefits | <ul style="list-style-type: none">• Part design applies easily to any #1/4" Screw• Stud style provides low insertion and high extraction force. |
| Quantity Per | bag |
| Product Description | Screw Mount Cable Ties are made of all plastic and provide a quick and simple method of mounting. |
| Short Description | 1-Piece Cable Tie/Screw Mount, 15.6" Long, #1/4 Screw, 4.02" Max Bundle Dia, 120lb, PA66, Black, 500/pkg |

Global Part Name

T120MR-PA66HS-BK

Minimum Tensile Strength (Imperial)

120.0

Minimum Tensile Strength (Metric)

535.0

Length L (Imperial)

15.6

Length L (Metric)

395.0

Fixation Method

Fixing hole

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Variant

Inside Serrated

Width W (Imperial)

0.3

Width W (Metric)

7.6

Bundle Diameter Min (Imperial)

0.2

Bundle Diameter Min (Metric)

5.0

Bundle Diameter Max (Imperial)

4.0

Bundle Diameter Max (Metric)

102.0

Thickness T (Imperial)

0.07

| | |
|--|--|
| Thickness T (Metric) | 1.8 |
| Cable Tie Head Length (Imperial) | 1.1 |
| Cable Tie Head Width (Imperial) | 0.5 |
| Height H (Imperial) | 0.31 |
| Height H (Metric) | 7.9 |
| Mounting Hole Diameter D (Imperial) | 0.26 |
| Mounting Hole Diameter D (Metric) | 6.5 mm |
| Mounting Hole Diameter D Max (Metric) | 6.5 |
| Material | Polyamide 6.6 heat stabilized (PA66HS) |
| Material Shortcut | PA66HS |
| Flammability | UL 94 V2 |
| ROHS Complaint | Yes |
| UL Recognized (US) | Yes |
| UL Recognized (US and Canada) | Yes |
| Package Quantity(Imperial) | 500 |

Package Quantity (Metric)

500

Customs Number

3926909988