

## Specification Sheet

Part Number: T120MR0HSH4



1-Piece Cable Tie/Screw Mount, 4.3" Long, #1/4 Screw, 4.02" Max Bundle Dia, 120lb, PA66, Black, 500/pkg

<b>Article Number</b>	113-00073
<b>Type</b>	T120MR
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Part design applies easily to any #1/4" Screw</li><li>• Stud style provides low insertion and high extraction force.</li></ul>
<b>Quantity Per</b>	bag
<b>Product Description</b>	Screw Mount Cable Ties are made of all plastic and provide a quick and simple method of mounting.
<b>Short Description</b>	1-Piece Cable Tie/Screw Mount, 4.3" Long, #1/4 Screw, 4.02" Max Bundle Dia, 120lb, PA66, Black, 500/pkg
<b>Global Part Name</b>	T120MR-PA66HS-BK

<b>Minimum Tensile Strength (Imperial)</b>	120.0
<b>Minimum Tensile Strength (Metric)</b>	535.0
<b>Length L (Imperial)</b>	15.6
<b>Length L (Metric)</b>	395.0
<b>Fixation Method</b>	Fixing hole
<b>Identification Plate Position</b>	none
<b>Releasable Closure</b>	No
<b>Tie Closure</b>	plastic pawl
<b>Variant</b>	Inside Serrated
<b>Width W (Imperial)</b>	0.3
<b>Width W (Metric)</b>	7.6
<b>Bundle Diameter Min (Imperial)</b>	0.2
<b>Bundle Diameter Min (Metric)</b>	5.0
<b>Bundle Diameter Max (Imperial)</b>	4.0
<b>Bundle Diameter Max (Metric)</b>	102.0
<b>Thickness T (Imperial)</b>	0.07
<b>Thickness T (Metric)</b>	1.8

**Cable Tie Head Length (Imperial)** 1.1

**Cable Tie Head Width (Imperial)** 0.5

**Height H (Imperial)** 0.31

**Height H (Metric)** 7.9

**Mounting Hole Diameter D (Imperial)** 0.26

**Mounting Hole Diameter D (Metric)** 6.5 mm

**Mounting Hole Diameter D Max (Metric)** 6.5

**Material** Polyamide 6.6 heat stabilized (PA66HS)

**Material Shortcut** PA66HS

**Flammability** UL 94 V2

**ROHS Complaint** Yes

**UL Recognized (US)** Yes

**UL Recognized (US and Canada)** Yes

**Package Quantity(Imperial)** 500

**Package Quantity (Metric)** 500

---

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)