

Specification Sheet

Part Number: DCT90HIRK2



Dual Clamp Tie, 13" Long, .25" Stud Dia, 1.30" Max Bundle Dia, 150lb, PA66HIRHSUV, Black 50/pkg

| | |
|---------------------|--|
| Article Number | 115-30900 |
| Type | DCT9 |
| Color | Black (BK) |
| Features & Benefits | <ul style="list-style-type: none">• Provides dual separation between bundles to prevent chafing and abrasion.• 150lb. tensile strength ensures enough strength for heavy duty applications.• Straps are releasable for increased serviceability. |
| Quantity Per | bag |

Product Description

Dual-Clamp Ties are designed to provide parallel separation between hoses, wires, cables, and tubing to protect them from abrasion. These ties have an optional mounting hole for securing bundles along the chassis of trucks, trailers, and heavy-duty equipment. The unique one-piece design features the dual head centered on the strap.

| | |
|--|---|
| Short Description | Dual Clamp Tie, 13" Long, .25" Stud Dia, 1.30" Max Bundle Dia, 150lb, PA66HIRHSUV, Black 50/pkg |
| Global Part Name | DCT9-PA66HIRHSUV-BK |
| Minimum Tensile Strength (Imperial) | 150.0 |
| Minimum Tensile Strength (Metric) | 667.0 |
| Length L (Imperial) | 13.0 |
| Length L (Metric) | 330.20 |
| Fixation Method | Weld Stud Fixing |
| Identification Plate Position | none |
| Releasable Closure | No |
| Tie Closure | plastic pawl |
| Variant | Inside Serrated |
| Width W (Imperial) | 0.5 |
| Width W (Metric) | 12.7 |
| Bundle Diameter Max (Imperial) | 1.3 |
| Bundle Diameter Max (Metric) | 33.0 |
| Height H (Imperial) | 0.8 |

Height H (Metric)

20.32

Stud Diameter (Metric)

M6

Stud Diameter (Imperial)

1/4

Material

Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

Material Shortcut

PA66HIRHSUV

Flammability

UL 94 HB

Operating Temperature (Metric)

-40°F to +230°F (-40°C to +110°C)

ROHS Complaint

Yes

Package Quantity(Imperial)

50

Package Quantity (Metric)

50

Customs Number

3926909988

Content Unit(BMEcat)

bag

Weight (Metric)

12.0

Weight (Imperial)

0.5

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)