

## Specification Sheet

Part Number: DCT110HIRH1



Dual Clamp Tie, 19.20" Long, .25" Stud Dia, 2.30" Max Bundle Dia, 150lb, PA66HIRHSUV, Black, 500/pkg

Article Number	115-31101
Type	DCT11
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none"><li>• Provides dual separation between bundles to prevent chaffing and abrasion.</li><li>• 150 lb. tensile strength ensures enough strength for heavy duty applications.</li><li>• Straps are releasable for increased serviceability.</li></ul>
Quantity Per	bag

### Product Description

Dual-Clamp Ties are designed to provide parallel separation between hoses, wires, cables, and tubing to protect them from abrasion. These ties have an optional mounting hole for securing bundles along the chassis of trucks, trailers, and heavy duty equipment. The unique one-piece design features the dual head centered on the strap.

<b>Short Description</b>	Dual Clamp Tie, 19.20" Long, .25" Stud Dia, 2.30" Max Bundle Dia, 150lb, PA66HIRHSUV, Black, 500/pkg
<b>Global Part Name</b>	DCT11-PA66HIRHSUV-BK
<b>Minimum Tensile Strength (Imperial)</b>	150.0
<b>Minimum Tensile Strength (Metric)</b>	667.0
<b>Length L (Imperial)</b>	19.2
<b>Length L (Metric)</b>	487.68
<b>Fixation Method</b>	Weld Stud Fixing
<b>Identification Plate Position</b>	none
<b>Releasable Closure</b>	No
<b>Tie Closure</b>	plastic pawl
<b>Variant</b>	Inside Serrated
<b>Width W (Imperial)</b>	0.5
<b>Width W (Metric)</b>	12.7
<b>Bundle Diameter Min (Imperial)</b>	0.20
<b>Bundle Diameter Min (Metric)</b>	6.4
<b>Bundle Diameter Max (Imperial)</b>	2.3

<b>Bundle Diameter Max (Metric)</b>	58.0
<b>Height H (Imperial)</b>	0.8
<b>Height H (Metric)</b>	20.32
<b>Mounting Hole Diameter D (Imperial)</b>	0.20
<b>Mounting Hole Diameter D (Metric)</b>	6.2 mm
<b>Mounting Hole Diameter D Max (Metric)</b>	6.2
<b>Stud Diameter (Metric)</b>	M6
<b>Stud Diameter (Imperial)</b>	1/4
<b>Material</b>	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature (Metric)</b>	-40°F to +230°F (-40°C to +110°C)
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500

**Customs Number**

3926909987

**Content Unit(BMEcat)**

bag