

Specification Sheet

Part Number: T18RA5000HSW



Cable Tie for AT2000, 18lb Tensile Strength, PA66HS, Black, 5000/reel

Article Number

120-05007

Type

T18RA5000

Color

Black (BK)

Features & Benefits

- Cable ties can be easily recycled to meet environmental management objectives.
- HellermannTyton 18 lb. cable ties are available in natural, black, and other colors (upon request) to support color coded wire management schemes.
- Bandoliers of 50 or reels of 5000 cable ties are available, enabling maximum user efficiency in hand-held, bench-mount, or automated processes.

Quantity Per

reel

Product Description

HellermannTyton's AT2000 is designed to use 18 lb. cable ties and will fasten bundles up to 3/4" diameter. Engineered specifically for automatic cable tie assembly, these ties are offered in varying material compositions and colors, so manufacturers can select the ties that meet the application requirements and industry best practices.

Short Description	Cable Tie for AT2000, 18lb Tensile Strength, PA66HS, Black, 5000/reel
Global Part Name	T18RA5000-PA66HS-BK
Technical Description	Cable Tie for AT2000, Black
Minimum Tensile Strength (Imperial)	18.0
Minimum Tensile Strength (Metric)	80.0
Length L (Imperial)	4.0
Length L (Metric)	4.8
Width W (Imperial)	0.1
Width W (Metric)	2.5
Bundle Diameter Min (Imperial)	0.03
Bundle Diameter Min (Metric)	0.7
Bundle Diameter Max (Imperial)	0.79
Bundle Diameter Max (Metric)	20.0
Power supply unit	Electrical
Material	Polyamide 6.6 heat stabilized (PA66HS)

Material Shortcut

PA66HS

Flammability

UL 94 V2

Operating Temperature (Metric)

-40°F to +257°F (-40°C to +125°C)

UL Recognized (US)

Yes

UL Recognized (US and Canada)

Yes

Package Quantity(Imperial)

5000

Package Quantity (Metric)

5000

Customs Number

3926909987