

Specification Sheet

Part Number: 126-00047

Arrowhead design is quick and easy to install by hand without the need for a tool.
Ties "clicks" into place upon final installation signaling installer insertion is complete.

Design provides low insertion and high extraction force.

Arrowhead moves along strap for proper orientation before installation.



1-Piece Cable Tie/Arrowhead Mount with Wings in the Strap, 7.0" L, Hole Dia .24" - .26", PA66HIRHS, Black, 1000/bag

Article Number 126-00047

Type T80SSF6.5F

Color Black (BK)

Quantity Per bag

Product Description Arrowhead Push Ties secure fast and easy, while providing a disc feature to minimize the ingress of dust, dirt, and water. The anchor adjusts for variations in panel thicknesses which insures a secure fixing at all times.

Short Description 1-Piece Cable Tie/Arrowhead Mount with Wings in the Strap, 7.0" L, Hole Dia .24" - .26", PA66HIRHS, Black, 1000/bag

Global Part Name T80SSF6.5F-PA66HIRHS-BK

Minimum Tensile Strength (Imperial) 80.0

Minimum Tensile Strength (Metric) 300

Length L (Imperial) 7.0

Length L (Metric) 179

Fixation Method Arrowhead

Identification Plate Position none

Releasable Closure No

Tie Closure plastic pawl

Variant Inside Serrated

Width W (Imperial) 0.181

Width W (Metric) 4.6

Bundle Diameter Max (Imperial) 1.7

Bundle Diameter Max (Metric) 43.0

Panel Thickness Min (Imperial) 0.02

Panel Thickness Max (Imperial) 0.24

Panel Thickness Min (Metric)	0.6
Panel Thickness Max (Metric)	3.0
Mounting Hole Diameter D (Imperial)	0.24 - 0.26
Mounting Hole Diameter D (Metric)	6.3 - 6.5 mm
Mounting Hole Diameter D Min (Imperial)	0.248
Mounting Hole Diameter D Max (Imperial)	0.26
Mounting Hole Diameter D Max (Metric)	6.5
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000

Customs Number

3926909988

© 2022 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)