


Specification Sheet

Part Number: 132-00010



Button Head Cable Tie, 9.6" Long, 2.6" Max Bundle Diameter, 105lb, PA66HIRHSUV, Black, 50/pkg

| | |
|---------------------|---|
| Article Number | 132-00010 |
| Type | BT105R |
| Color | Black (BK) |
| Features & Benefits | <ul style="list-style-type: none">• Unique two piece tie allows parallel entry and exit through the head for easy assembly.• PA66HIRHS material make it ideal for trucking and heavy equipment applications. |
| Quantity Per | bag |

Product Description

The button head tie is a two piece tie providing for parallel entry and exit through the head. The strap contains serrations on both sides, and has two opposed pawls recessed within a domed head. This design allows the strap to be directed clockwise or counter-clockwise prior to insertion into the head, enabling bi-directional looping.

| | |
|--|---|
| Short Description | Button Head Cable Tie, 9.6" Long, 2.6" Max Bundle Diameter, 105lb, PA66HIRHSUV, Black, 50/pkg |
| Global Part Name | BT105R-PA66HIRHSUV-BK |
| Minimum Tensile Strength (Imperial) | 105.0 |
| Minimum Tensile Strength (Metric) | 467 |
| Length L (Imperial) | 9.6 |
| Length L (Metric) | 244.4 |
| Fixation Method | Connector Clip |
| Identification Plate Position | none |
| Releasable Closure | No |
| Tie Closure | plastic pawl |
| Variant | Outside Serrated |
| Width W (Imperial) | 0.2 |
| Width W (Metric) | 5.6 |
| Bundle Diameter Min (Imperial) | 0.06 |
| Bundle Diameter Min (Metric) | 1.5 |
| Bundle Diameter Max (Imperial) | 2.6 |

| | |
|---------------------------------------|--|
| Bundle Diameter Max (Metric) | 66.7 |
| Material | Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV) |
| Material Shortcut | PA66HIRHSUV |
| Material Cable Tie | Polyamide 6.6 high impact modified, heat and UV-resistant (PA66HIRHSUV) |
| Material Head | Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV) |
| Flammability | UL 94 HB |
| Operating Temperature (Metric) | -40°F to +221°F (-40°C to +105°C) |
| Package Quantity(Imperial) | 50 |
| Package Quantity (Metric) | 50 |
| Customs Number | 3926909988 |