

## Specification Sheet

Part Number: 132-00011



Button Head Cable Tie, 15.0" Long, 4.3" Max Bundle Dia, 105lb, PA66HIRHSUV, Black, 50/pkg

**Article Number** 132-00011

**Type** BT105L

**Color** Black (BK)

**Features & Benefits**

- Unique two piece tie allows parallel entry and exit through the head for easy assembly.
- High impact, heat stabilized material gives strength needed for trucking and heavy equipment applications.

**Quantity Per** bag

**Product Description**

The button head tie is a two piece tie providing for parallel entry and exit through the head. The strap contains serrations on both sides, and has two opposed pawls recessed within a domed head. This design allows the strap to be directed clockwise or counter-clockwise prior to insertion into the head, enabling bi-directional looping.

<b>Short Description</b>	Button Head Cable Tie, 15.0" Long, 4.3" Max Bundle Dia, 105lb, PA66HIRHSUV, Black, 50/pkg
<b>Global Part Name</b>	BT105L-PA66HIRHSUV-BK
<b>Minimum Tensile Strength (Imperial)</b>	105.0
<b>Minimum Tensile Strength (Metric)</b>	467.0
<b>Length L (Imperial)</b>	15.0
<b>Length L (Metric)</b>	381.5
<b>Fixation Method</b>	Connector Clip
<b>Identification Plate Position</b>	none
<b>Releasable Closure</b>	No
<b>Tie Closure</b>	plastic pawl
<b>Variant</b>	Outside Serrated
<b>Width W (Imperial)</b>	0.22
<b>Width W (Metric)</b>	5.6
<b>Bundle Diameter Min (Imperial)</b>	0.25
<b>Bundle Diameter Min (Metric)</b>	6.4

<b>Bundle Diameter Max (Imperial)</b>	4.33
<b>Bundle Diameter Max (Metric)</b>	110.0
<b>Mounting Hole Diameter D (Metric)</b>	22.0 mm
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV
<b>Material Cable Tie</b>	Polyamide 6.6 high impact modified, heat and UV-resistant (PA66HIRHSUV)
<b>Material Head</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Flammability</b>	UL 94 HB
<b>Operating Temperature (Metric)</b>	-40°F to +221°F (-40°C to +105°C)
<b>Use Conditions</b>	For Indoor and Outdoor Use
<b>Package Quantity(Imperial)</b>	50
<b>Package Quantity (Metric)</b>	50
<b>Customs Number</b>	3926909988

**Content Unit(BMEcat)**

pcs.