

## Specification Sheet

Part Number: 133-00996



Separates and secures bundles avoiding abrasion  
Designed to handle both convoluted tubing and bundles not covered in convoluted tubing  
Come in a variety of sizes and colors to be easily identified

HC Clamp Bundle Separator, Two Hole, PA66HIRGF13, Natural, 500/pkg

**Article Number** 133-00996

**Type** HC2D

**Color** Natural (NA)

**Quantity Per** bag

**Product Description** HC Clamps separate multiple bundles and secure them to brackets or frame rails. Each mount has two pawls for easy pre-installation on a threaded fastener prior to securing with a mechanical fastener. HC Clamps have ribs that make them ideal for convoluted tubing, but they can also be used to separate separate bundles that aren't protected with convoluted tubing.

**Short Description** HC Clamp Bundle Separator, Two Hole, PA66HIRGF13, Natural, 500/pkg

**Global Part Name**

HC2D-PA66HIRGF13-NA

**Length L (Imperial)** 2.747

**Length L (Metric)** 67.77

**Width W (Imperial)** 1.1

**Width W (Metric)** 27.94

**Bundle Diameter Min (Imperial)** 0.65

**Bundle Diameter Min (Metric)** 16.51

**Bundle Diameter Max (Imperial)** 0.96

**Bundle Diameter Max (Metric)** 24.39

**Bundle Diameter 1st Loop Max (Imperial)** 0.65

**Bundle Diameter 1st Loop Max (Metric)** 16.51

**Bundle Diameter 2nd Loop Max (Imperial)** 0.96

**Bundle Diameter 2nd Loop Max (Metric)** 24.39

**Height H (Imperial)** 1.38

**Height H (Metric)** 34.94

**Mounting Hole Diameter D (Imperial)** 0.32

**Mounting Hole Diameter D (Metric)** 8.12 mm

**Mounting Hole Diameter D Max (Metric)** 8.12

**Material** Polyamide 6.6, high impact modified, 13% glass-fiber reinforced (PA66HIRGF13)

**Material Shortcut** PA66HIRGF13

**Operating Temperature** -40°F to +257°F (-40°C to +125°C)

**Reach Compliant (Article 33)** Yes

**ROHS Compliant** Yes

**Package Quantity (Imperial)** 500

**Package Quantity (Metric)** 500

**Customs Number** 3926909988