

Specification Sheet

Part Number: 133-02798



Clip can be installed by hand – no need for hardware or tools.

Design provides low insertion and high extraction force, for simple, secure performance.

Clip keeps bundle away from areas that could cause damage due to rubbing.

Standoff Bundling Clip, 40.0 mm Long, 6.2 - 6.5 mm Mounting Hole Dia., PP, Gray, 2400/carton

Article Number	133-02798
Type	SOC40OS99.5FT6.5
Color	Gray (GY)
Quantity Per	carton
Product Description	Standoff bundling clips provide a straightforward way to secure cable bundles, hoses or pipes. The bundle fastens to the tape bar using tape or cable ties. Multiple orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters. Standoff keeps bundles away from mounting area to prevent them from damage due to rubbing.
Short Description	Standoff Bundling Clip, 40.0 mm Long, 6.2 - 6.5 mm Mounting Hole Dia., PP, Gray, 2400/carton

Global Part Name SOC40OS99.5FT6.5-PP-GY

Length L (Imperial)	1.57
Length L (Metric)	40.0
Fixation Method	Fir tree for round holes
Width W (Imperial)	0.37
Width W (Metric)	9.5
Height H (Imperial)	0.71
Height H (Metric)	18.0
Panel Thickness Min (Imperial)	0.02
Panel Thickness Max (Imperial)	0.16
Panel Thickness Min (Metric)	0.5
Panel Thickness Max (Metric)	4.0
Mounting Hole Diameter D (Imperial)	0.24 - 0.26
Mounting Hole Diameter D (Metric)	6.2 - 6.5 mm
Mounting Hole Diameter D Min (Imperial)	0.24
Mounting Hole Diameter D Max (Imperial)	0.26

Mounting Hole Diameter D Max (Metric)	6.5
Material	Polypropylene (PP)
Material Shortcut	PP
Flammability	UL 94 HB
Operating Temperature	-40°F to +239°F (-40°C to +115°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2400
Package Quantity (Metric)	2400
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

