

Specification Sheet

Part Number: 133-02801



Clip can be installed by hand – no need for hardware or tools.

Design provides low insertion and high extraction force, for simple, secure performance.

Clip keeps bundle away from areas that could cause damage due to rubbing.

Bundling Clip w/Arrowhead, 45.0 mm Long, 6.1-6.6 mm Mounting Hole Dia., PP, Black, 2000/carton

Article Number	133-02801
Type	BCOS20X40AH6.35
Color	Black (BK)
Quantity Per	carton
Product Description	Bundling clips are designed to provide simple and easy methods for securing cable bundles, hoses or pipes. They are fastened onto the tape bar using tape or cable ties.
Short Description	Bundling Clip w/Arrowhead, 45.0 mm Long, 6.1-6.6 mm Mounting Hole Dia., PP, Black, 2000/carton
Global Part Name	BCOS20X40AH6.35-PP-BK

Length L (Imperial)	1.77
Length L (Metric)	45.0
Fixation Method	Fir tree for round holes
Width W (Imperial)	0.79
Width W (Metric)	20.0
Bundle Diameter Max (Imperial)	0.33
Bundle Diameter Max (Metric)	8.5
Height H (Imperial)	0.63
Height H (Metric)	15.87
Panel Thickness Min (Imperial)	0.02
Panel Thickness Max (Imperial)	0.15
Panel Thickness Min (Metric)	0.5
Panel Thickness Max (Metric)	3.8
Mounting Hole Diameter D (Imperial)	0.24 - 0.26
Mounting Hole Diameter D (Metric)	6.1 - 6.6 mm
Mounting Hole Diameter D Min (Imperial)	0.24

Mounting Hole Diameter D Max (Imperial)	0.26
Mounting Hole Diameter D Max (Metric)	6.6
Material	Polypropylene (PP)
Material Shortcut	PP
Flammability	UL 94 HB
Operating Temperature	-40°F to +239°F (-40°C to +115°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	2000
Package Quantity (Metric)	2000
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)