

## Specification Sheet

Part Number: 133-04236



Bundling Clip, Left Angle with 6.5x12.5 Portable Hole, POM, Natural, 2000/carton

Article Number	133-04236
Type	TC90LHANGLE
Color	Natural (NA)
Features & Benefits	<ul style="list-style-type: none"><li>•Outward oval mounting hole provides the ability to mount bar clip away from the panel surface in tight areas such as vehicle pillars</li><li>•6.5x12.5 oval portable hole offers a non-rotating mounting option when used with push pin or can connect to an oval mount attached to an adjacent routing.</li><li>•Left and right hand options allows for mirror configurations on opposite sides of vehicle.</li></ul>
Quantity Per	bag
Product Description	Designed for use with cable ties or electrical tape, bundling clips provide a simple method of securing wire and cable bundles. HellermannTyton offers these clips in standard and standoff orientations, with a variety of mounting options.

**Short Description**

Bundling Clip, Left Angle with 6.5x12.5 Portable Hole, POM, Natural, 2000/carton

**Global Part Name**

TC90LHANGLE-POM-NA

**Length L (Imperial)**

1.75

**Length L (Metric)**

44.6

**Width W (Imperial)**

0.76

**Width W (Metric)**

19.5

**Height H (Imperial)**

1.65

**Height H (Metric)**

42.1

**Mounting Hole Diameter D (Imperial)**

0.25 " x 0.49

**Mounting Hole Diameter D (Metric)**

6.5 x 12.5 mm

**Mounting Hole Diameter D Min (Imperial)**

0.25

**Mounting Hole Diameter D Max (Imperial)**

0.49

**Mounting Hole Diameter D Max (Metric)**

12.5

**Material**

Polyacetal (POM)

**Material Shortcut**

POM

**Operating Temperature (Metric)**

-40°F to +194°F (-40°C to +90°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Package Quantity (Metric)**

4000

**Customs Number**

3926909988

**Content Unit(BMEcat)**

pcs.