

Specification Sheet

Part Number: 150-48396



1-Pc Cable Tie/Arrowhead Mount w/Wings for Oval Holes, 9.0"L, 50lb Tensile, PA66, Black, 1000/bag

Article Number	150-48396
Type	T80RFT6X12
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Arrowhead design is quick and easy to install by hand without the need for tools.• Ties "clicks" into place upon final installation signaling installer insertion is complete.• Design provides low insertion and high extraction force.
Quantity Per	bag
Product Description	Arrowhead Push Ties secure fast and easy, while providing a disc feature to minimize the ingress of dust, dirt, and water. The anchor adjusts for variations in panel thicknesses which insures a secure fixing at all times.
Short Description	1-Pc Cable Tie/Arrowhead Mount w/Wings for Oval Holes, 9.0"L, 50lb Tensile, PA66, Black, 1000/bag

Global Part Name

T80RFT6X12-PA66-BK

Minimum Tensile Strength (Imperial)

50.0

Minimum Tensile Strength (Metric)

222

Length L (Imperial)

9.0

Length L (Metric)

228

Fixation Method

Arrowhead

Identification Plate Position

none

Releasable Closure

No

Tie Closure

plastic pawl

Variant

Inside Serrated

Width W (Imperial)

0.181

Width W (Metric)

4.6

Bundle Diameter Min (Imperial)

0.06

Bundle Diameter Min (Metric)

1.5

Bundle Diameter Max (Imperial)

1.8

Bundle Diameter Max (Metric)

45.0

Panel Thickness Min(Imperial)

0.02

Panel Thickness Max(Imperial)	0.02
Panel Thickness Min (Metric)	0.6
Panel Thickness Max (Metric)	3.0
Mounting Hole Diameter D (Imperial)	0.25 - 0.48
Mounting Hole Diameter D (Metric)	6.3 x 12.3 mm
Mounting Hole Diameter D Min (Imperial)	0.248
Mounting Hole Diameter D Max (Imperial)	0.48
Mounting Hole Diameter D Max (Metric)	12.3
Material	Polyamide 6.6 (PA66)
Material Shortcut	PA66
Flammability	UL 94 V2
Operating Temperature (Metric)	-40°F to +185°F (-40°C to +85°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	1000

Package Quantity (Metric) 1000

Customs Number 3926909988

Content Unit(BMEcat) pcs.

Weight (Metric) 1.8