

Specification Sheet

Part Number: 150-77591



2-Piece Cable Tie/Oval Stud Mount, 7.9" Long, PA66HS, Black, 500/pkg

Article Number	150-77591
Type	T50RSBH5SD-14
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none">• Head allows for a .2" lateral adjustment on stud during installation.• Quick and easy installation ideal for manufacturing environment.
Quantity Per	bag
Product Description	Oval Shaped Stud Mount's special design allows for a .2" (5.5mm) lateral adjustment, allowing for any misalignment of the stud or incorrect position of the tie on the cables. The "soft push" mount allows it to be installed onto a weld stud without the use of any tools.
Short Description	2-Piece Cable Tie/Oval Stud Mount, 7.9" Long, PA66HS, Black, 500/pkg

Global Part Name

T50RSBH5SD-14-PA66HS-BK

Minimum Tensile Strength (Imperial)

50.0

Minimum Tensile Strength (Metric)

222

Length L (Imperial)

7.9

Length L (Metric)

200

Fixation Method

Weld Stud, top, Set, 2 piece

Identification Plate Position

none

Tie Closure

plastic pawl

Variant

Inside Serrated

Width W (Imperial)

0.18

Width W (Metric)

4.6

Bundle Diameter Min (Imperial)

0.04

Bundle Diameter Min (Metric)

1.0

Bundle Diameter Max (Imperial)

1.77

Bundle Diameter Max (Metric)

45.0

Height H (Imperial)

0.05

Height H (Metric)

1.2

Disc Diameter(Metric)	30.0
Disc Diameter (Imperial)	1.18
Stud Length Min (Imperial)	0.56
Stud Length Min (Metric)	14.2
Stud Diameter (Metric)	5.0 mm
Stud Diameter (Imperial)	0.20
Material	Polyamide 6.6 heat stabilized (PA66HS)
Material Shortcut	PA66HS
Material Cable Tie	Polyamide 6.6 heat stabilized (PA66HS)
Flammability	UL 94 V2
Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
Reach Complaint(Article 33)	Yes
ROHS Complaint	Yes
Package Quantity(Imperial)	500
Package Quantity (Metric)	500

Customs Number

3926909988

Content Unit(BMEcat)

pcs.

Weight (Metric)

3.5