

## Specification Sheet

Part Number: 150-77591



2-Piece Cable Tie/Oval Stud Mount, 7.9" Long, PA66HS, Black, 500/pkg

<b>Article Number</b>	150-77591
<b>Type</b>	T50RSBH5SD-14
<b>Color</b>	Black (BK)
<b>Features &amp; Benefits</b>	<ul style="list-style-type: none"><li>• Head allows for a .2" lateral adjustment on stud during installation.</li><li>• Quick and easy installation ideal for manufacturing environment.</li></ul>
<b>Quantity Per</b>	bag
<b>Product Description</b>	Oval Shaped Stud Mount's special design allows for a .2" (5.5mm) lateral adjustment, allowing for any misalignment of the stud or incorrect position of the tie on the cables. The "soft push" mount allows it to be installed onto a weld stud without the use of any tools.
<b>Short Description</b>	2-Piece Cable Tie/Oval Stud Mount, 7.9" Long, PA66HS, Black, 500/pkg

Global Part Name

T50RSBH5SD-14-PA66HS-BK

Minimum Tensile Strength (Imperial)

50.0

Minimum Tensile Strength (Metric)

222

Length L (Imperial)

7.9

Length L (Metric)

200

Fixation Method

Weld Stud, top, Set, 2 piece

Identification Plate Position

none

Tie Closure

plastic pawl

Variant

Inside Serrated

Width W (Imperial)

0.18

Width W (Metric)

4.6

Bundle Diameter Min (Imperial)

0.04

Bundle Diameter Min (Metric)

1.0

Bundle Diameter Max (Imperial)

1.77

Bundle Diameter Max (Metric)

45.0

Height H (Imperial)

0.05

Height H (Metric)

1.2

<b>Disc Diameter(Metric)</b>	30.0
<b>Disc Diameter (Imperial)</b>	1.18
<b>Stud Length Min (Imperial)</b>	0.56
<b>Stud Length Min (Metric)</b>	14.2
<b>Stud Diameter (Metric)</b>	5.0 mm
<b>Stud Diameter (Imperial)</b>	0.20
<b>Material</b>	Polyamide 6.6 heat stabilized (PA66HS)
<b>Material Shortcut</b>	PA66HS
<b>Material Cable Tie</b>	Polyamide 6.6 heat stabilized (PA66HS)
<b>Flammability</b>	UL 94 V2
<b>Operating Temperature (Metric)</b>	-40°F to +221°F (-40°C to +105°C)
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500

**Customs Number**

3926909988

**Content Unit(BMEcat)**

pcs.

**Weight (Metric)**

3.5