

Specification Sheet

Part Number: 151-00018



Convoluted Tubing Clip, 0.4" Max Bundle Diameter, Panel Thickness .03"-.24", PA66HIRHS, Black, 500/pkg

Article Number

151-00018

Type

CTC10FT6LG

Color

Black (BK)

Features & Benefits

- Clip includes an internal rib that spans the inside of the bracket to fit securely into the profile of the tubing to prevent lateral movement and slipping of the tubing.
- Extended fir tree allows for a wide range of panel thicknesses.
- Fir tree design provides low insertion forces and high extraction forces.

Quantity Per

bag

Product Description

Convoluted Tube Clips provide a quick and easy method for firmly securing corrugated covered cables and wires to a surface. Applications such as this can be found in a wide variety of industries such as the wire harness, automotive, trucking, and heavy equipment manufacturing industries.

Short Description

Convuluted Tubing Clip, 0.4" Max Bundle Diameter, Panel Thickness .03"-.24", PA66HIRHS, Black, 500/pkg

Global Part Name

CTC10FT6LG-PA66HIRHS-BK

Fixation Method

Fir Tree

Width W (Imperial)

0.31

Width W (Metric)

8.0

Height H (Imperial)

0.85

Height H (Metric)

21.4

Nominal Diameter (Imperial)

3/8

Nominal Diameter (Metric)

10.0

Panel Thickness Min(Imperial)

0.03

Panel Thickness Max(Imperial)

0.24

Panel Thickness Min (Metric)

0.75

Panel Thickness Max (Metric)

6.0

Mounting Hole Diameter D (Imperial)

0.26 - 0.28

Mounting Hole Diameter D (Metric)

6.5 - 7.0 mm

Mounting Hole Diameter D Min (Imperial)

0.283

Mounting Hole Diameter D Max (Imperial)	0.275
--	-------

Mounting Hole Diameter D Max (Metric)	7.0
--	-----

Disc Diameter(Metric)	16.0
------------------------------	------

Disc Diameter (Imperial)	0.63
---------------------------------	------

Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
-----------------	--

Material Shortcut	PA66HIRHS
--------------------------	-----------

Flammability	UL 94 HB
---------------------	----------

Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
---------------------------------------	-----------------------------------

Reach Complaint(Article 33)	Yes
------------------------------------	-----

ROHS Complaint	Yes
-----------------------	-----

Package Quantity(Imperial)	500
-----------------------------------	-----

Package Quantity (Metric)	500
----------------------------------	-----

Customs Number	3926909987
-----------------------	------------

Content Unit(BMEcat)	pcs.
-----------------------------	------

Weight (Metric)	1
------------------------	---

© 2019 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)