

Specification Sheet

Part Number: MB10C2



Cable Tie Anchor Mount, .50" x .312", .13" Hole Dia, .1" Max Tie Width, PA66, Black, 100/pkg

Article Number 151-00295

Type MB1

Color Black (BK)

Features & Benefits

- Compact size for areas with limited mounting space.
- Simple to install with a screw or rivet.
- Single hole attachment with two-way entry for cable tie.

Quantity Per bag

Product Description

These cable tie mounts are compact in size. They are designed for simple yet robust installation particularly in areas with limited space. They pair with a cable tie for mounting applications including telecom equipment, switchgear and control cabinets.

Short Description	Cable Tie Anchor Mount, .50" x .312", .13" Hole Dia, .1" Max Tie Width, PA66, Black, 100/pkg
Global Part Name	MB1-PA66-BK
Length L (Imperial)	0.5
Length L (Metric)	12.7
Fixation Method	Screw Mounting and Rivet
Width W (Imperial)	0.312
Width W (Metric)	7.92
Cable Ties	T18
Height H (Imperial)	.13
Height H (Metric)	3.30
Cable Tie Width Max (Imperial)	0.1
Cable Tie Width Max (Metric)	2.54
Mounting Hole Diameter D (Imperial)	0.13
Mounting Hole Diameter D (Metric)	3.3 mm
Mounting Hole Diameter D Max (Metric)	3.3

Material	Polyamide 6.6 (PA66)
Material Shortcut	PA66
Flammability	UL 94 V2
Halogen Free	Yes
Operating Temperature	-40°F to +185°F (-40°C to +85°C)
ROHS Compliant	Yes
Certification/Specification	UL
Package Quantity (Imperial)	100
Package Quantity (Metric)	100