

Specification Sheet

Part Number: 151-00429



Connector Clip, Panel Thickness 1.5-4.0mm, PA66HIRHS, Black, 500/pkg

Article Number 151-00429

Type EC42

Color Black (BK)

Features & Benefits

- HellermannTyton Connector Clips provide a single method to mount connectors to various surfaces in a variety of applications.
- Highly engineered designs feature anti-rattle discs, anti-rotation oval fir trees and clamps for mounting on edges.
- An assortment of Connector Clips is available to fit the variety of connector slot designs made by most of the largest global connector manufacturers.

Quantity Per bag

| | |
|--------------------------------------|---|
| Product Description | Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly. |
| Short Description | Connector Clip, Panel Thickness 1.5-4.0mm, PA66HIRHS, Black, 500/pkg |
| Global Part Name | EC42-PA66HIRHS-BK |
| Length L (Imperial) | 0.94 |
| Length L (Metric) | 24.0 |
| Fixation Method | Edge Clips |
| Width W (Imperial) | 0.53 |
| Width W (Metric) | 13.4 |
| Panel Thickness Min(Imperial) | 0.06 |
| Panel Thickness Max(Imperial) | 0.16 |
| Panel Thickness Min (Metric) | 1.5 |
| Panel Thickness Max (Metric) | 4.0 |

| | |
|---------------------------------------|--|
| Material | Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS) |
| Material Shortcut | PA66HIRHS |
| Flammability | UL 94 HB |
| Operating Temperature (Metric) | -40°F to +221°F (-40°C to +105°C) |
| Reach Complaint(Article 33) | Yes |
| ROHS Complaint | Yes |
| Use Conditions | For Indoor Use Only |
| Package Quantity(Imperial) | 500 |
| Package Quantity (Metric) | 500 |
| Customs Number | 3926909988 |
| Content Unit(BMEcat) | pcs. |
| Weight (Metric) | 1.377 |