

## Specification Sheet

Part Number: 151-00513



Connector Clip w/Oval Arrowhead, 0.6 - 1.0 mm Panel Thickness, 6.2 x 12.2 mm Hole Dia, PA66HIRHS, Black, 500/pkg

**Article Number**

151-00513

**Type**

YCCSFT62122

**Color**

Black (BK)

**Features & Benefits**

- Head design contains clamping rails to provide full circumferential compression around bundles.
- Bent tail allows for quick insertion into head.

**Quantity Per**

bag

**Product Description**

Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

**Short Description**

Connector Clip w/Oval Arrowhead, 0.6 - 1.0 mm Panel Thickness, 6.2 x 12.2 mm Hole Dia, PA66HIRHS, Black, 500/pkg

**Global Part Name**

YCCSFT62122-PA66HIRHS-BK

**Fixation Method**

Arrowhead for oval holes

**Panel Thickness Min(Imperial)**

0.02

**Panel Thickness Max(Imperial)**

0.04

**Panel Thickness Min (Metric)**

0.6

**Panel Thickness Max (Metric)**

1.0

**Mounting Hole Diameter D (Imperial)**

0.24 - 0.48

**Mounting Hole Diameter D (Metric)**

6.2 x 12.2 mm

**Mounting Hole Diameter D Min (Imperial)**

0.24

**Mounting Hole Diameter D Max (Imperial)**

0.48

**Mounting Hole Diameter D Max (Metric)**

12.2

**Disc Diameter(Metric)**

22.0

**Disc Diameter (Imperial)**

0.87

**Material**

Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

**Material Shortcut**

PA66HIRHS

**Flammability**

UL 94 HB

**Operating Temperature (Metric)**

-40°F to +221°F (-40°C to +105°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

500

**Package Quantity (Metric)**

500

**Customs Number**

3926909988

**Content Unit(BMEcat)**

pcs.

**Weight (Metric)**

0.995