

## Specification Sheet

Part Number: 151-00620



Connector Clip w/Oval Arrowhead, 0.7 - 3.0 mm Panel Thickness, 6.5 x 13.0 mm Hole Dia, PA66HIRHS, Black, 500/pkg

Article Number	151-00620
Type	CCIISFT6.5x13
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none"><li>•Head design contains clamping rails to provide full circumferential compression around bundles.</li><li>•Bent tail allows for quick insertion into head.</li></ul>
Quantity Per	bag

### Product Description

Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

<b>Short Description</b>	Connector Clip w/Oval Arrowhead, 0.7 - 3.0 mm Panel Thickness, 6.5 x 13.0 mm Hole Dia, PA66HIRHS, Black, 500/pkg
<b>Global Part Name</b>	CCIISFT6.5x13-PA66HIRHS-BK
<b>Length L (Imperial)</b>	0.78
<b>Length L (Metric)</b>	19.6
<b>Fixation Method</b>	Arrowhead for oval holes
<b>Height H (Imperial)</b>	0.51
<b>Height H (Metric)</b>	13.2
<b>Panel Thickness Min(Imperial)</b>	0.028
<b>Panel Thickness Max(Imperial)</b>	0.12
<b>Panel Thickness Min (Metric)</b>	0.7
<b>Panel Thickness Max (Metric)</b>	3.0
<b>Mounting Hole Diameter D (Imperial)</b>	0.26 - 0.51
<b>Mounting Hole Diameter D (Metric)</b>	6.5 x 13.0 mm
<b>Mounting Hole Diameter D Min (Imperial)</b>	0.26
<b>Mounting Hole Diameter D Max (Imperial)</b>	0.51
<b>Mounting Hole Diameter D Max (Metric)</b>	13.0

<b>Material</b>	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
<b>Material Shortcut</b>	PA66HIRHS
<b>Reach Complaint(Article 33)</b>	Yes
<b>ROHS Complaint</b>	Yes
<b>Package Quantity(Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500
<b>Customs Number</b>	3926909987
<b>Content Unit(BMEcat)</b>	pcs.
<b>Weight (Metric)</b>	1