

Specification Sheet

Part Number: 151-00704



HellermannTyton connector clips provide a simple and easy method for mounting connectors to a mounting surface in a variety of applications. Detailed designs include anti-rattle disc features, anti-rotation oval fir trees, and clamps for mounting on edges.

HellermannTyton offers an assortment of connector clips that are available for a variety of connector slot designs found on most of the largest global connector manufacturers.

Connector Clip; Hole Dia. 8.2X16.0mm; Panel 1.6mm/ PA66HIRHS; Black; 1000/Pack

Article Number	151-00704
Type	YCCFT82x185
Quantity Per	bag
Product Description	HellermannTyton connector clips for oval holes are mounted simply by pushing them onto the corresponding clip. The clips provide a wide range of mounting options with anti-rattle and anti-rotation features. The fir tree locks into place when inserted into the hole palpably and ensures a secure fixing at all times.
Short Description	Connector Clip; Hole Dia. 8.2X16.0mm; Panel 1.6mm/ PA66HIRHS; Black; 1000/Pack
Global Part Name	YCCFT82x185-PA66HIRHS

Length L (Imperial)	0.72
Length L (Metric)	18.29
Fixation Method	Fir Tree for oval holes
Width W (Imperial)	0.69
Width W (Metric)	17.4
Height H (Imperial)	0.63
Height H (Metric)	16.0
Panel Thickness Min (Imperial)	0.06
Panel Thickness Max (Imperial)	0.18
Panel Thickness Min (Metric)	1.5
Panel Thickness Max (Metric)	4.5
Mounting Hole Diameter D (Metric)	8.2 x 18.5 mm
Mounting Hole Diameter D Min (Imperial)	0.322
Mounting Hole Diameter D Max (Imperial)	0.728
Mounting Hole Diameter D Max (Metric)	18.5

Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Flammability	UL 94 HB
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909987

© 2022 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)