


Specification Sheet

Part Number: 151-00775



HellermannTyton connector clips provide a simple and easy method for mounting connectors to a mounting surface in a variety of applications. Detailed designs include anti-rattle disc features, anti-rotation oval fir trees, and clamps for mounting on edges.

HellermannTyton offers an assortment of connector clips that are available for a variety of connector slot designs found on most of the largest global connector manufacturers.

Conn. Clip w/Arrowhead, 1.7-2.3 mm Panel Thick., 6.3-6.7 mm Hole Dia., PA66HIRHS, Black, 5000/box

Article Number 151-00775

Type CCSFT6.5

Color Black (BK)

Quantity Per bag

Product Description HellermannTyton connector clips for oval holes are mounted simply by pushing them onto the corresponding clip. The clips provide a wide range of mounting options with anti-rattle and anti-rotation features. The arrowhead locks firmly into place when inserted into the hole palpably and ensures a secure attachment at all times.

Short Description Conn. Clip w/Arrowhead, 1.7-2.3 mm Panel Thick., 6.3-6.7 mm Hole Dia., PA66HIRHS, Black, 5000/box

Global Part Name CCSFT6.5-PA66HIRHS-BK

Technical Description Connector Clip, Black

Length L (Imperial) 0.9

Length L (Metric) 23.0

Fixation Method Arrowhead (Small Mount)

Height H (Imperial) 0.48

Height H (Metric) 12.1

Panel Thickness Min (Imperial) 0.07

Panel Thickness Max (Imperial) 0.09

Panel Thickness Min (Metric) 1.7

Panel Thickness Max (Metric) 2.3

Mounting Hole Diameter D (Imperial) 0.25 - 0.26

Mounting Hole Diameter D (Metric) 6.3 - 6.7 mm

Mounting Hole Diameter D Min (Imperial) 0.25

Mounting Hole Diameter D Max (Imperial) 0.26

Mounting Hole Diameter D Max (Metric) 6.7

Disc Diameter (Metric)	16.0
Disc Diameter (Imperial)	0.63
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
Material Shortcut	PA66HIRHS
Flammability	UL 94 HB
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	5000
Package Quantity (Metric)	5000
Customs Number	3926909988