

Specification Sheet

Part Number: 151-00807

HellermannTyton connector clips provide a simple and easy method for mounting connectors to a mounting surface in a variety of applications. Detailed designs include anti-rattle disc features, anti-rotation oval features, and clamps for mounting on edges.

HellermannTyton offers an assortment of connector clips that are available for a variety of connector slot designs found on most of the largest global connector manufacturers.

Product Image

Connector Clip, 9.0–17.0mm Hole Dia., PA66HIRHSUV, Black, 1000/carton

Article Number 151-00807

Type CC10

Color Black (BK)

Quantity Per carton

Product Description Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

Short Description Connector Clip, 9.0–17.0mm Hole Dia., PA66HIRHSUV, Black, 1000/carton

Global Part Name CC10-PA66HIRHSUV-BK

Length L (Imperial)	1.30
Length L (Metric)	33.05
Fixation Method	Fir Tree
Width W (Imperial)	0.85
Width W (Metric)	21.59
Height H (Imperial)	1.14
Height H (Metric)	28.9
Panel Thickness Min (Imperial)	0.019
Panel Thickness Max (Imperial)	0.610
Panel Thickness Min (Metric)	0.5
Panel Thickness Max (Metric)	15.5
Mounting Hole Diameter D (Imperial)	0.35 " x 0.67
Mounting Hole Diameter D (Metric)	9.0 x 17.0 mm
Mounting Hole Diameter D Min (Imperial)	0.35
Mounting Hole Diameter D Max (Imperial)	0.67
Mounting Hole Diameter D Max (Metric)	17.0

Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988