

## Specification Sheet

Part Number: 151-00834



Head design contains clamping rails to provide full circumferential compression around bundles.

Bent tail allows for quick insertion into head.

Connector Clip, 6.2x12.2mm Hole Dia., PA66HIRHS, Black, 10,000/box

**Article Number** 151-00834

**Type** YCKKSFT62x122PT1.7-2.3 90°

**Color** Black (BK)

**Quantity Per** bag

**Product Description** Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

**Short Description** Connector Clip, 6.2x12.2mm Hole Dia., PA66HIRHS, Black, 10,000/box

<b>Global Part Name</b>	YCCKSFT62x122PT1.7-2.3 90°-PA66HIRHS-BK
<b>Technical Description</b>	Connector Clip, Black
<b>Panel Thickness Min (Imperial)</b>	0.07
<b>Panel Thickness Max (Imperial)</b>	0.09
<b>Panel Thickness Min (Metric)</b>	1.7
<b>Panel Thickness Max (Metric)</b>	2.3
<b>Mounting Hole Diameter D (Imperial)</b>	0.24 - 0.48
<b>Mounting Hole Diameter D (Metric)</b>	6.2 x 12.2 mm
<b>Mounting Hole Diameter D Min (Imperial)</b>	0.24
<b>Mounting Hole Diameter D Max (Imperial)</b>	0.48
<b>Mounting Hole Diameter D Max (Metric)</b>	12.2
<b>Material</b>	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
<b>Material Shortcut</b>	PA66HIRHS
<b>Operating Temperature</b>	-40°F to +221°F (-40°C to +105°C)

<b>Reach Compliant (Article 33)</b>	Yes
<b>ROHS Compliant</b>	Yes
<b>Package Quantity (Imperial)</b>	10000
<b>Package Quantity (Metric)</b>	10000
<b>Customs Number</b>	3926909988