

## Specification Sheet

Part Number: 151-00992



Standoff Bundling Clip, 1.98" Long, Panel Thickness 0.02–0.27", PA66HIRHS, Black, 3000/carton

Article Number	151-00992
Type	SOC11FTOVAL
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none"><li>•Clip can be installed by hand – no need for hardware or tools.</li><li>•Design provides low insertion and high extraction force, for simple, secure performance.</li><li>•Clip keeps bundle away from areas that could cause damage due to rubbing.</li></ul>
Quantity Per	carton
Product Description	Standoff bundling clips provide a straightforward way to secure cable bundles, hoses or pipes. The bundle fastens to the tape bar using tape or cable ties. Multiple orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters. Standoff keeps bundles away from mounting area to prevent them from damage due to rubbing.

<b>Short Description</b>	Standoff Bundling Clip, 1.98" Long, Panel Thickness 0.02–0.27", PA66HIRHS, Black, 3000/carton
<b>Global Part Name</b>	SOC11FTOVAL-PA66HIRHS-BK
<b>Length L (Imperial)</b>	1.98
<b>Length L (Metric)</b>	50.2
<b>Offset Length(Imperial)</b>	0.79
<b>Offset Length(Metric)</b>	20.0
<b>Fixation Method</b>	Fir Tree for oval holes
<b>Height H (Imperial)</b>	0.79
<b>Height H (Metric)</b>	20.1
<b>Panel Thickness Min(Imperial)</b>	0.02
<b>Panel Thickness Max(Imperial)</b>	0.27
<b>Panel Thickness Min (Metric)</b>	0.51
<b>Panel Thickness Max (Metric)</b>	6.86
<b>Mounting Hole Diameter D (Imperial)</b>	0.24 x 0.48 " 0.26 x 0.50 " 0.26 x 0.51 " 0.28 x 0.47
<b>Mounting Hole Diameter D (Metric)</b>	6.2 x 12.2 mm 7.0 x 12.0 mm 6.5 x 13.0 mm 6.5 x 12.5 mm
<b>Mounting Hole Diameter D Min (Imperial)</b>	0.24

<b>Mounting Hole Diameter D Max (Imperial)</b>	0.51
--	------

**Mounting Hole Diameter D Max (Metric)** 13.0

<b>Material</b>	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)
-----------------	--

**Material Shortcut** PA66HIRHS

<b>Flammability</b>	UL 94 HB
---------------------	----------

**Operating Temperature (Metric)** -40°F to +230°F (-40°C to +110°C)

<b>Reach Complaint(Article 33)</b>	Yes
------------------------------------	-----

**ROHS Complaint** Yes

<b>Package Quantity(Imperial)</b>	3000
-----------------------------------	------

**Package Quantity (Metric)** 3000

<b>Customs Number</b>	3926909987
-----------------------	------------

**Content Unit(BMEcat)** pcs.

