


Specification Sheet

Part Number: 151-01888



Oval fir tree design allows for this bundling clip to be used in 4 different hole sizes, and various panel thicknesses without compromising performance.

The unique design of the fir tree grips onto the panel due to the branches on all four sides of the mount.

Bundling Clip w/Oval Fir Tree, 2.28" L, 0.02 - 0.43" Panel Thickness, PA66HIRHS, Natural, 3000/ctn

| | |
|---------------------|---|
| Article Number | 151-01888 |
| Type | BCFTOVALXL |
| Color | Natural (NA) |
| Quantity Per | carton |
| Product Description | HellermannTyton's bundling clips allow a harness to be routed around a corner and attached to the panel at this location. |
| Short Description | Bundling Clip w/Oval Fir Tree, 2.28" L, 0.02 - 0.43" Panel Thickness, PA66HIRHS, Natural, 3000/ctn |
| Global Part Name | BCFTOVALXL-PA66HIRHS-NA |

| | |
|---|---|
| Length L (Imperial) | 0.53 |
| Length L (Metric) | 13.4 |
| Fixation Method | Fir Tree for oval holes |
| Width W (Imperial) | 0.38 |
| Width W (Metric) | 9.6 |
| Height H (Imperial) | 0.97 |
| Height H (Metric) | 24.58 |
| Panel Thickness Min (Imperial) | 0.02 |
| Panel Thickness Max (Imperial) | 0.43 |
| Panel Thickness Min (Metric) | 0.6 |
| Panel Thickness Max (Metric) | 11.0 |
| Mounting Hole Diameter D (Imperial) | 0.24 x 0.48 " 0.25 x 0.50 " 0.25 x 0.50 " 0.27 x 0.47 |
| Mounting Hole Diameter D (Metric) | 6.5 x 13.0 mm 7.0 x 12.0 mm 6.2 x 12.2 mm 6.5 x 12.5 mm |
| Mounting Hole Diameter D Min (Imperial) | 0.24 |
| Mounting Hole Diameter D Max (Imperial) | 0.51 |
| Mounting Hole Diameter D Max (Metric) | 13.0 |

| | |
|------------------------------|--|
| Material | Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS) |
| Material Shortcut | PA66HIRHS |
| Flammability | UL 94 HB |
| Halogen Free | Yes |
| Operating Temperature | -40°F to +230°F (-40°C to +110°C) |
| Reach Compliant (Article 33) | No |
| ROHS Compliant | Yes |
| Package Quantity (Imperial) | 3000 |
| Package Quantity (Metric) | 3000 |
| Customs Number | 3926909988 |