

## Specification Sheet

Part Number: 151-02102



High Torque Axial Mount, Bolt Hole Dia. 0.405", PA66HIRHSUV, Black, 500/pkg

Article Number	151-02102
Type	SAM400B-R
Color	Black (BK)
Features & Benefits	<ul style="list-style-type: none"><li>• Positions bundles off cross members and frame rails to prevent abrasion and chafing.</li><li>• Metal insert bushing accommodates high-torque installation.</li><li>• Made with high-impact, heat stabilized, and UV material ideal for trucking and heavy equipment environments.</li></ul>
Quantity Per	carton

### Product Description

HellermannTyton's axial oval mount stands off bundles from frame rails and cross members to prevent them from rubbing and chafing. The axial oval mount accommodates cable ties up to 0.5" wide. The hole on the mount was designed to fit a 5/16" bolt.

**Short Description**

High Torque Axial Mount, Bolt Hole Dia. 0.405", PA66HIRHSUV, Black, 500/pkg

**Global Part Name**

SAM400B-R-PA66HIRHSUV-BK

**Length L (Imperial)**

1.18

**Length L (Metric)**

29.9

**Fixation Method**

Screw Mounting and Rivet

**Width W (Imperial)**

1.0

**Width W (Metric)**

25.0

**Height H (Imperial)**

1.77

**Height H (Metric)**

44.9

**Mounting Hole Diameter D (Imperial)**

0.405

**Mounting Hole Diameter D (Metric)**

10.29 mm

**Mounting Hole Diameter D Min (Imperial)**

0.405

**Mounting Hole Diameter D Max (Imperial)**

0.405

**Mounting Hole Diameter D Max (Metric)**

10.3

**Material**

Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)

**Material Shortcut**

PA66HIRHSUV

**Flammability**

UL 94 HB

**Operating Temperature (Metric)**

-40°F to +230°F (-40°C to +110°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

500

**Package Quantity (Metric)**

500

**Content Unit(BMEcat)**

pcs.

**Weight (Metric)**

0.0198

**Weight (Imperial)**

0.0437