

## Specification Sheet

Part Number: 151-02206



Connector Clip, Mounting Hole Dia. 8.0–15.0mm, PA66HIRHS, Black, 5000/carton

**Article Number**

151-02206

**Type**

CC16R

**Color**

Black (BK)

**Features & Benefits**

- Non-rotating fir tree provides easy insertion with high extraction resistance for 8x14 mm and 8x15 mm oval holes.
- Meets installation and extraction requirements of SAE/USCAR-2, for easy installation with reliable performance.
- Short fir tree avoids obstructions on opposite side of panel.
- Connector clip design meets USCAR EWCAP-005-11 clip slot specifications, assuring compliance.

**Quantity Per**

carton

**Product Description**

Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

<b>Short Description</b>	Connector Clip, Mounting Hole Dia. 8.0–15.0mm, PA66HIRHS, Black, 5000/carton
<b>Global Part Name</b>	CC16R-PA66HIRHS-BK
<b>Length L (Imperial)</b>	1.18
<b>Length L (Metric)</b>	30.0
<b>Fixation Method</b>	Fir Tree
<b>Width W (Imperial)</b>	0.72
<b>Width W (Metric)</b>	18.2
<b>Height H (Imperial)</b>	0.92
<b>Height H (Metric)</b>	23.4
<b>Panel Thickness Min(Imperial)</b>	0.02
<b>Panel Thickness Max(Imperial)</b>	0.31
<b>Panel Thickness Min (Metric)</b>	0.6
<b>Panel Thickness Max (Metric)</b>	3.0
<b>Mounting Hole Diameter D (Imperial)</b>	0.33 " x 0.55 " 0.31 " x 0.59
<b>Mounting Hole Diameter D (Metric)</b>	8.0 x 15.0 mm 8.0 x 14.0 mm
<b>Mounting Hole Diameter D Min (Imperial)</b>	0.31

**Mounting Hole Diameter D Max (Imperial)**

0.59

**Material**

Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

**Material Shortcut**

PA66HIRHS

**Operating Temperature (Metric)**

-40°F to +230°F (-40°C to +110°C)

**Reach Complaint(Article 33)**

Yes

**ROHS Complaint**

Yes

**Package Quantity(Imperial)**

5000

**Package Quantity (Metric)**

5000

**Content Unit(BMEcat)**

pcs.