

Specification Sheet

Part Number: 151-02284

Clips offer a easy securing option when cable ties can't be used.

Clips can be attached to the panel prior to installing the pipe or hose.



The different mounting orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Bundling Clip w/Oval Fir Tree, 2.2" Long, 0.02 - 0.24" Panel Thickness, PA66HIRHS, Black, 5000/box

Article Number	151-02284
Type	TCOP70x120
Color	Black (BK)
Quantity Per	bag
Product Description	HellermannTyton pipe and hose clips offer simple and secure installation of pipes or hoses to panels. Simply push the pipe into the clip for a firm and secure fixing. These parts can also be connected together offering a greater choice of installation options.
Short Description	Bundling Clip w/Oval Fir Tree, 2.2" Long, 0.02 - 0.24" Panel Thickness, PA66HIRHS, Black, 5000/box
Global Part Name	TCOP70x120-PA66HIRHS-BK

Length L (Imperial)	2.2
Length L (Metric)	55.0
Fixation Method	Fir Tree for oval holes
Width W (Imperial)	0.35
Width W (Metric)	9.0
Panel Thickness Min (Imperial)	0.02
Panel Thickness Max (Imperial)	0.24
Panel Thickness Min (Metric)	0.6
Panel Thickness Max (Metric)	6.0
Mounting Hole Diameter D (Imperial)	0.28 - 0.47
Mounting Hole Diameter D (Metric)	7.0 x 12.0 mm
Mounting Hole Diameter D Min (Imperial)	0.28
Mounting Hole Diameter D Max (Imperial)	0.47
Mounting Hole Diameter D Max (Metric)	12.0
Material	Polyamide 6.6, high impact modified, heat stabilized (PA66HIRHS)

Material Shortcut	PA66HIRHS
Flammability	UL 94 HB
Halogen Free	Yes
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +221°F (-40°C to +105°C)
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	5000
Package Quantity (Metric)	5000
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)