

Specification Sheet

Part Number: 151-02291



Low Profile 90° Metal Edge Clip, 1.5–2.0mm Panel Thickness, 6–6.2mm Cable Range, SS304, 5000/box

Article Number	151-02291
Type	MSC90
Color	Metal (ML)
Features & Benefits	<ul style="list-style-type: none">•Integrated design allows for easy insertion by hand.•1.5–2mm panel thickness range allows for multiple applications.•Double-compression design that accommodates various sizes of wire and cable.•Presents a high extraction force for withstanding extreme conditions.
Quantity Per	box

Product Description

HellermannTyton's 90-Degree Metal Edge Clip provides an excellent alternative to managing wire and PV cables where plastic fasteners are not the preferred method. Designed for effortless insertion, this edge clip also has a high extraction force. The 90-degree configuration secures cables to a panel in a perpendicular orientation. Metal construction tolerates extreme environments, and a low-profile design allows the clip to be installed on a wide variety of module edges.

Short Description

Low Profile 90° Metal Edge Clip, 1.5–2.0mm Panel Thickness, 6–6.2mm Cable Range, SS304, 5000/box

Global Part Name

MSC90-SS304-ML

Length L (Imperial)

0.73

Length L (Metric)

18.44

Width W (Imperial)

0.460

Width W (Metric)

11.57

Panel Thickness Min(Imperial)

0.06

Panel Thickness Max(Imperial)

0.078

Panel Thickness Min (Metric)

1.5

Panel Thickness Max (Metric)

2.0

Material

Stainless Steel (SS304)

Material Shortcut

SS304

Halogen free

No

Operating Temperature (Metric)

-112°F to +1000°F (-80°C to +538°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint Yes

UL Recognized (US) Yes

UL Listed (US and Canada) Yes

UL Recognized (US and Canada) Yes

UL Listed (US) Yes

Package Quantity(Imperial) 5000

Package Quantity (Metric) 5000

Customs Number 7326908695

Weight (Metric) 0.00907

Weight (Imperial) 0.02000