

Specification Sheet

Part Number: 151-02459



USCAR Conn Clip with Fir Tree, 11mm, 5.0 mm Dia and M6 Threaded Hole, PA66HIRHSUV, Black, 5000/ctn

Article Number 151-02459

Type CC11FTM6

Color Black (BK)

Features & Benefits

- Connector clip design to meet USCAR EWCAP-005-11 clip slot specifications.
- Meets installation and extraction requirements of SAE/USCAR-2.
- Versatile and robust fir tree design provides low insertion effort yet delivers exceptional retention strength in a 5mm hole and M6 threaded hole.

Quantity Per carton

Product Description	Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.
Short Description	USCAR Conn Clip with Fir Tree, 11mm, 5.0 mm Dia and M6 Threaded Hole, PA66HIRHSUV, Black, 5000/ctn
Global Part Name	CC11FTM6-PA66HIRHSUV-BK
Length L (Imperial)	0.98
Length L (Metric)	24.9
Fixation Method	Fir Tree
Width W (Imperial)	0.622
Width W (Metric)	15.8
Height H (Imperial)	0.814
Height H (Metric)	20.7
Panel Thickness Min (Metric)	1.3
Panel Thickness Max (Metric)	4.5
Mounting Hole Diameter D Max (Metric)	7.0
Disc Diameter(Metric)	17.5

Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV
Flammability	UL 94 HB
Operating Temperature (Metric)	-40°F to +221°F (-40°C to +105°C)
ROHS Complaint	Yes
Use Conditions	For Indoor and Outdoor Use
Package Quantity(Imperial)	5000
Package Quantity (Metric)	5000
Customs Number	3926909988