

Specification Sheet

Part Number: 151-02570



Low Profile 90° Metal Edge Clip, 0.76–1.24mm Panel Thickness, 4–7.4mm Cable Range, SS304, 5000/box

Article Number	151-02570
Type	MSC901
Color	Metal (ML)
Features & Benefits	<ul style="list-style-type: none">• Integrated design allows for easy insertion by hand.• 0.76–1.24mm panel thickness range allows for multiple applications.• Double-compression design that accommodates various sizes of wire and cable.• Presents a high extraction force for withstanding extreme conditions.
Quantity Per	box

Product Description

HellermannTyton's Metal Edge Clip provides an excellent alternative to managing wire and PV cables where plastic fasteners are not the preferred method. Designed for effortless insertion, the Metal Edge Clip has a high extraction force that tolerates extreme environments and provides assurance that the cables are secure on a panel. The Metal Edge Clip is simple to install and can easily be removed with a flathead screwdriver.

Short Description

Low Profile 90° Metal Edge Clip, 0.76–1.24mm Panel Thickness, 4–7.4mm Cable Range, SS304, 5000/box

Global Part Name

MSC901-SS304-ML

Length L (Imperial)

0.73

Length L (Metric)

18.44

Width W (Imperial)

0.460

Width W (Metric)

11.57

Panel Thickness Min(Imperial)

0.03

Panel Thickness Max(Imperial)

0.049

Panel Thickness Min (Metric)

0.76

Panel Thickness Max (Metric)

1.24

Material

Stainless Steel (SS304)

Material Shortcut

SS304

Halogen free

No

Operating Temperature (Metric)

-112°F to +1000°F (-80°C to +538°C)

Reach Complaint(Article 33)

Yes

ROHS Complaint Yes

UL Recognized (US) Yes

UL Listed (US and Canada) Yes

UL Recognized (US and Canada) Yes

UL Listed (US) Yes

Package Quantity(Imperial) 5000

Package Quantity (Metric) 5000

Customs Number 7326908695

Content Unit(BMEcat) pcs.