

## Specification Sheet

Part Number: 151-02679



Can be easily assembled to convoluted tubing and reliably remain in position

Internal rib prevents movement or rattling

Multiple configurations to mount to a variety of surfaces

Releaseable to allow for maintenance

Conduit Clamps, Size 25, Mounting Hole 6.4 mm, Fir Tree, Connector Clip, PP, Black, 800/Pkg

Article Number 151-02679

Type CDC25FT6.4CC5

Color Black (BK)

Quantity Per carton

**Product Description**  
The Convoluted Tubing Clamp provides a quick method for securing and routing convoluted tubing. The clamp has an internal rib that prevents movement of the tubing and rattling. Convoluted tubing clamps are available in various tubing diameters. Choose from arrowhead, fir tree, bundling clip, bracket and dual clamp configurations.

**Short Description**  
Conduit Clamps, Size 25, Mounting Hole 6.4 mm, Fir Tree, Connector Clip, PP, Black, 800/Pkg

Global Part Name CDC25FT6.4CC5-PP-BK

Length L (Imperial) 2.65

Length L (Metric) 67.2

Fixation Method Fir Tree

Width W (Imperial) 0.5

Width W (Metric) 12.0

Bundle Diameter Max (Imperial) 0.98

Bundle Diameter Max (Metric) 25.0

Height H (Imperial) 3.69

Height H (Metric) 93.7

Diameter D (Imperial) 1.06

Diameter D (Metric) 27.0

Mounting Hole Diameter D (Imperial) 0.252

Mounting Hole Diameter D (Metric) 6.4 mm

Material	Polypropylene (PP)
Material Shortcut	PP
Flammability	UL 94 HB
Halogen Free	No
Operating Temperature	-40°F to +239°F (-40°C to +115°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	800
Package Quantity (Metric)	800

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)