

Specification Sheet

Part Number: 151-02710



Can be easily assembled to convoluted tubing and reliably remain in position.

Internal rib prevents movement or rattling.

Multiple configurations to mount to a variety of surfaces.

Releaseable to allow for maintenance.

Conduit Clamps, Size 16, Mounting Hole 6.68, Fir Tree, PP, Black, 1000/Pkg

Article Number 151-02710

Type CDC16B90FT6.68

Color Black (BK)

Quantity Per carton

Product Description The Convoluted Tubing Clamp provides a quick method for securing and routing convoluted tubing. The clamp has an internal rib that prevents movement of the tubing and rattling. Convoluted tubing clamps are available in various tubing diameters. Choose from arrowhead, fir tree, bundling clip, bracket and dual clamp configurations.

Short Description Conduit Clamps, Size 16, Mounting Hole 6.68, Fir Tree, PP, Black, 1000/Pkg

Global Part Name CDC16B90FT6.68-PP-BK

Length L (Imperial) 2.48

Length L (Metric) 62.9

Offset Length (Imperial) 1.5

Offset Length (Metric) 38.0

Fixation Method Fir Tree

Width W (Imperial) 0.3

Width W (Metric) 7.6

Bundle Diameter Max (Imperial) 0.63

Bundle Diameter Max (Metric) 16.0

Height H (Imperial) 2.67

Height H (Metric) 67.8

Diameter D (Imperial) 0.69

Diameter D (Metric) 17.4

Mounting Hole Diameter D (Imperial) 0.26

Mounting Hole Diameter D (Metric) 6.68 mm

Material	Polypropylene (PP)
Material Shortcut	PP
Flammability	UL 94 HB
Halogen Free	No
Operating Temperature	-40°F to +239°F (-40°C to +115°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000