

## Specification Sheet

Part Number: 151-02901



The different fixing orientations allow tape clips to be used with a wide range of panel thicknesses and hole diameters.

Bundling Clip with Fir Tree, 2.1" Long, 0.02 - 0.08" Panel Thickness, PA66, Black, 500/pkg

**Article Number** 151-02901

**Type** CHA2

**Color** Black (BK)

**Quantity Per** bag

**Product Description** HellermannTyton Bundling Clips are designed to provide simple and easy methods for securing cable bundles, hoses, or pipes. They are fastened onto the tape bar using tape or cable ties.

**Short Description** Bundling Clip with Fir Tree, 2.1" Long, 0.02 - 0.08" Panel Thickness, PA66, Black, 500/pkg

**Global Part Name** CHA2-PA66-BK

<b>Length L (Imperial)</b>	2.1
<b>Length L (Metric)</b>	54.0
<b>Fixation Method</b>	Fir Tree
<b>Width W (Imperial)</b>	0.24
<b>Width W (Metric)</b>	6.0
<b>Height H (Imperial)</b>	0.3
<b>Height H (Metric)</b>	7.7
<b>Panel Thickness Min (Imperial)</b>	0.02
<b>Panel Thickness Max (Imperial)</b>	0.08
<b>Panel Thickness Min (Metric)</b>	0.8
<b>Panel Thickness Max (Metric)</b>	2.0
<b>Mounting Hole Diameter D (Imperial)</b>	0.26 - 0.28
<b>Mounting Hole Diameter D (Metric)</b>	6.5 - 7.0 mm
<b>Mounting Hole Diameter D Min (Imperial)</b>	0.26
<b>Mounting Hole Diameter D Max (Imperial)</b>	0.28
<b>Mounting Hole Diameter D Max (Metric)</b>	7.0

**Disc Diameter (Metric)** 14.0

**Disc Diameter (Imperial)** 0.55

**Material** Polyamide 6.6 (PA66)

**Material Shortcut** PA66

**Flammability** UL 94 V2

**Operating Temperature** -40°F to +185°F (-40°C to +85°C)

**Reach Compliant (Article 33)** Yes

**ROHS Compliant** Yes

**Package Quantity (Imperial)** 500

**Package Quantity (Metric)** 500

**Customs Number** 3926909988