

Specification Sheet

Part Number: 151-02936

Connector clip provides a simple and easy method for mounting connectors to a mounting surface in a variety of applications. Detailed design includes anti-rattle disc features, anti-rotation oval features, and clamps for mounting on edges.



Designed to meet push on/pull off forces of SAE/USCAR-2, delivering easy insertion with reliable performance.

Connector Clip, 17mm, Hole Dia., 12x17mm, PA66HIRHSUV, Black, 3000/carton

Article Number 151-02936

Type CC17FT12X17

Color Black (BK)

Quantity Per carton

Product Description Connector Clips feature various attachment point configurations to accommodate the many connectors on the market. They are first mated with a connector on a wire harness or cable assembly, then secured to a surface using the integrated mount. With so many configurations available, attachment surfaces can be a hole, edge, stud or even another harness assembly.

Short Description Connector Clip, 17mm, Hole Dia., 12x17mm, PA66HIRHSUV, Black, 3000/carton

Global Part Name	CC17FT12X17-PA66HIRHSUV-BK
Length L (Imperial)	1.303
Length L (Metric)	33.1
Fixation Method	Fir Tree
Width W (Imperial)	0.799
Width W (Metric)	20.3
Height H (Imperial)	0.834
Height H (Metric)	21.1
Panel Thickness Min (Metric)	0.6
Panel Thickness Max (Metric)	6.75
Mounting Hole Diameter D (Imperial)	0.472 x 0.669
Mounting Hole Diameter D (Metric)	12.0 x 17.0 mm
Material	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
Material Shortcut	PA66HIRHSUV

Operating Temperature -40°F to +221°F (-40°C to +105°C)

Reach Compliant (Article 33) No

ROHS Compliant Yes

Package Quantity (Imperial) 3000

Package Quantity (Metric) 3000