

Specification Sheet

Part Number: 151-03102



KR/CTM series are designed to provide stability to wire bundles. These mounts can accommodate miniature, intermediate, or standard cross-section cable ties.

Each mount is secured with a single screw.

Cable Tie Anchor Mount, .86" x .62", .25" Hole Dia, .31" Max Tie Width, PA666V0, Black, 100/pkg

Article Number 151-03102

Type CTM4

Color Black (BK)

Quantity Per bag

Product Description Designed specifically for holding heavier cable bundles these mounting bases can be used in many industries from agriculture to truck manufacture. They offer a very secure fixing and can be used with a wide variety of heavy duty cable ties up to 8.3 mm width.

Short Description Cable Tie Anchor Mount, .86" x .62", .25" Hole Dia, .31" Max Tie Width, PA666V0, Black, 100/pkg

Global Part Name CTM4-PA666V0-BK

Length L (Imperial)	0.86
Length L (Metric)	21.8
Fixation Method	Screw Mounting and Rivet
Width W (Imperial)	0.62
Width W (Metric)	15.8
Cable Ties	T18 - T120
Height H (Imperial)	0.37
Height H (Metric)	9.4
Cable Tie Width Max (Imperial)	0.31
Cable Tie Width Max (Metric)	7.8
Mounting Hole Diameter D (Imperial)	0.25
Mounting Hole Diameter D (Metric)	6.4 mm
Mounting Hole Diameter D Max (Metric)	6.4

Material Polyamide 6.6 + Polyamide 6 V0 (PA66/6V0)

Material Shortcut	PA666V0
Flammability	Halogen-free Low smoke generation Limited fire hazard UL 94 V-0 Low generation of toxic gases and corrosive acid
Halogen Free	Yes
Operating Temperature	-40°F to +248°F (-40°C to +120°C)
ROHS Compliant	Yes
Certification/Specification	ASTM E 662 ASTM E 162 Exova NFPA130: 2017 ASTM 1354
Package Quantity (Imperial)	100
Package Quantity (Metric)	100

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)