

## Specification Sheet

Part Number: 151-03103

Mount and tie combination makes it easy to service bundles in the field.

Eliminates the need for multiple sized diameter clamps.

Low fire hazard materials comply with stringent NFPA 130 safety standards and improve opportunities to get product specified at the engineering stage of a project.

Product Image

High Torque Mount, Mounting Hole Dia. 0.327", Max Torque 114.0 lb - ft, PA666V0, Black, 500/pkg

**Article Number** 151-03103

**Type** HDM320

**Color** Black (BK)

**Quantity Per** carton

**Product Description** The saddle design minimizes pinching and crushing of wires and adjusts to a wide variety of bundle diameters when used with HellermannTyton heavy duty T120, T150 or Wide Strap Cable Ties. Metal bushing provides strength for high-torque applications. Low fire hazard material is designed specifically for rail applications.

**Short Description** High Torque Mount, Mounting Hole Dia. 0.327", Max Torque 114.0 lb - ft, PA666V0, Black, 500/pkg

**Global Part Name** HDM320-PA666V0-BK

<b>Length L (Imperial)</b>	1.82
<b>Length L (Metric)</b>	46.5
<b>Fixation Method</b>	Screw Mounting and Rivet
<b>Width W (Imperial)</b>	0.98
<b>Width W (Metric)</b>	25.0
<b>Height H (Imperial)</b>	0.81
<b>Height H (Metric)</b>	20.7
<b>Cable Tie Width Max (Imperial)</b>	0.5
<b>Cable Tie Width Max (Metric)</b>	12.7
<b>Mounting Hole Diameter D (Imperial)</b>	0.327
<b>Mounting Hole Diameter D (Metric)</b>	8.31 mm
<b>Material</b>	Polyamide 6.6 + Polyamide 6 V0 (PA666V0)
<b>Material Shortcut</b>	PA666V0
<b>Flammability</b>	Low generation of toxic gases and corrosive acid Limited Fire Hazard UL 94 V0 Halogen-Free Low Smoke Generation
<b>Halogen Free</b>	Yes

<b>Operating Temperature</b>	-40°F to +248°F (-40°C to +120°C)
<b>Maximum Torque (kgf-cm)</b>	1576.11
<b>Maximum Torque (lbf-ft)</b>	114
<b>ROHS Compliant</b>	Yes
<b>Certification/Specification</b>	ASTM E 662 ASTM 1354 Exova   NFPA130: 2017 ASTM E 162
<b>Package Quantity (Imperial)</b>	500
<b>Package Quantity (Metric)</b>	500

© 2021 HellermannTyton. All Rights Reserved.

[Contact Us](#) [RoHS/WEEE Compliance](#) [Disclaimer](#) [Terms and Conditions](#)