

Specification Sheet

Part Number: 151-03512

Connector clip design complies to USCAR EWCAP-005-7 clip slot design and testing specifications.

Mount design provides low insertion with high extraction resistance for easy installation and reliable performance.



Features a fir tree designed for 8mm holes and is made with PA46 material for high heat applications.

Connector Clip w/ Fir Tree, 7mm, 0.60-6.0 mm Panel Thickness, PA46, Black, 3000/ctn

Article Number	151-03512
Type	CC7FT8LG
Color	Black (BK)
Quantity Per	carton
Product Description	7 mm connector clips made with new ergonomically friendly fir tree and connector clip design that complies with USCAR design and performance standards.
Short Description	Connector Clip w/ Fir Tree, 7mm, 0.60-6.0 mm Panel Thickness, PA46, Black, 3000/ctn
Global Part Name	CC7FT8LG-PA46-BK

Length L (Imperial)	0.95
Length L (Metric)	24.2
Fixation Method	Fir Tree
Width W (Imperial)	0.29
Width W (Metric)	7.45
Height H (Imperial)	0.81
Height H (Metric)	20.7
Panel Thickness Min (Imperial)	0.02
Panel Thickness Max (Imperial)	0.24
Panel Thickness Min (Metric)	0.60
Panel Thickness Max (Metric)	6.0
Mounting Hole Diameter D (Imperial)	0.30 - 0.33
Mounting Hole Diameter D (Metric)	7.6 - 8.4 mm
Mounting Hole Diameter D Min (Imperial)	0.30
Mounting Hole Diameter D Max (Imperial)	0.33
Mounting Hole Diameter D Max (Metric)	8.4

Material	Polyamide 4.6 (PA46)
Material Shortcut	PA46
Flammability	UL 94 HB
Halogen Free	Yes
Operating Temperature	-40°F to +266°F (-40°C to +130°C)
Reach Compliant (Article 33)	Yes
ROHS Compliant	Yes
Package Quantity (Imperial)	3000
Package Quantity (Metric)	3000
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

