

Specification Sheet

Part Number: 151-03631



One handed installation – no tools or special handling required.

Aluminum alloy material resists corrosion.

Compatible with nearly all module types and frames.

Solar Module Cable Hanger, 3mm Wire, 25 lb. Load Rating, Aluminum Alloy, 3000/carton

Article Number	151-03631
Type	SMH1
Color	Aluminium (AL)
Quantity Per	box
Product Description	Module cable hangers route individual cable runs in solar panel installations. They demonstrate a high degree of mechanical strength and are angled to slip into existing module holes for easy installation.
Short Description	Solar Module Cable Hanger, 3mm Wire, 25 lb. Load Rating, Aluminum Alloy, 3000/carton
Global Part Name	SMH1-AL-ML

Length L (Imperial)	0.98
Length L (Metric)	24.9
Fixation Method	Mounting Hanger
Width W (Imperial)	0.86
Width W (Metric)	21.8
Height H (Imperial)	2.93
Height H (Metric)	74.4
Mounting Hole Diameter D (Imperial)	0.13
Mounting Hole Diameter D (Metric)	3.1 mm
Material	Aluminum alloy (AL)
Material Shortcut	AL
Halogen Free	Yes
UV Resistant (Yes/No)	No
Operating Temperature	-40°F to +284°F (-40°C to +140°C)
ROHS Compliant	Yes

Package Quantity (Imperial) 3000

Package Quantity (Metric) 3000

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 40 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2024 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)